

Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS HCS 2012

Trade name: Multi-Scrub

1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

• Trade name: Multi-Scrub #2308701, #2313712

• Article number: FM80

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

Application of the substance / the preparation Heavy-Duty Foodservice Degreaser

• 1.3 Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Stearns Packaging Corporation 4200 Sycamore Avenue (53714)

PO Box 3216

Madison, WI 53704-0216 Phone: 800-655-5008

Email: stearns@stearnspkg.com Website: www.stearnspkg.com • 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

2 Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1C H314 Causes severe skin burns and serious eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

C: Corrosive R34: Causes burns.

Xn; Harmful, Irritant

R22: Harmful if swallowed. / R37: Irritating to respiratory system.

(Contd. on page 2)

Trade name: Multi-Scrub

(Contd. from page 1)

• Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

2.2 Label elements

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





GHS05 GHS07

Signal word Danger

Hazard-determining components of labeling:

Benzyl alcohol

2-aminoethanol

alcohols, C9-11, ethoxylated

Hazard statements

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H335-H336.

H302 Harmful if swallowed.

H314+H318 Causes severe skin burns and serious eye damage.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

Precautionary statements

P264 Wash hands thoroughly after handling.

P270 Do not eat drink or smoke when using this product.

P280 Wear protective gloves / protective clothing / eye protection.

P260 Do not breathe mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P303+P361+P353+ IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

P363+P332+P313 skin with water. Wash contaminated clothing before reuse. Immediately call a poison center

/ doctor.

P305+P351+P338+ IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

P337+P313 present and easy to do. Continue rinsing. Immediately call a poison center / doctor.

P301+P330+P331+ IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center /

P310 doctor.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell. P403+P233 Store in a well-ventilared place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents / container in accordance with local regulations.

Trade name: Multi-Scrub

(Contd. from page 2)

3 Composition/information on ingredients

• 3.2 Mixtures

EINECS: 202-859-9 Index number: 603-057-00-5	jerous components:		
As: 68439-46-3 NLP: 500-446-0 Xi R38-41	CS: 202-859-9	Xn R20/22	<25%
Eye Irrit. 2A H319, Skin Irrit. 2, H315 CAS: 141-43-5 EINECS: 205-483-3 Index number: 603-030-00-8 CAS: 102-71-6 EINECS: 203-049-8 CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 CAS: 107-98-2 EINECS: 203-539-1 Index number: 603-064-00-3 EINECS: 203-539-1 Index number: 603-064-00-3 Eye Irrit. 2A H319, Skin Irrit. 2, H315 2-aminoethanol Skin Corr. 1B, H314 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 2,2',2"-nitrilotriethanol substance with a Community workplace exposure limit Ethanol FR11 FR11 Flam. Liq. 2, H225 Flam. Liq. 2, H336		alcohols, C9-11, ethoxylated	<25%
EINECS: 205-483-3 Index number: 603-030-00-8 Skin Corr. 1B, H314 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 2,2',2"-nitrilotriethanol substance with a Community workplace exposure limit CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 CAS: 107-98-2 EINECS: 203-539-1 Index number: 603-064-00-3 Flam. Liq. 2, H225 Therefoxy-2-propanol R10-67 Flam. Liq. 2, H225 Flam. Liq. 2, H225 Flam. Liq. 2, H225 Flam. Liq. 2, H225		Eye Irrit. 2A H319, Skin Irrit. 2, H315	
CAS: 102-71-6 EINECS: 203-049-8 CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 CAS: 107-98-2 EINECS: 203-539-1 Index number: 603-064-00-3 Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 2,2',2"-nitrilotriethanol substance with a Community workplace exposure limit ethanol F R11 □ Flam. Liq. 2, H225 1-methoxy-2-propanol R10-67 Flam. Liq. 2, H225 ↑ STOT SE 3, H336	CS: 205-483-3	C R34; Xn R20/21/22	<10%
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 CAS: 107-98-2 EINECS: 203-539-1 Index number: 603-064-00-3 ethanol F R11	-	Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 2,2',2"-nitrilotriethanol	<3%
Index number: 603-002-00-5 CAS: 107-98-2 EINECS: 203-539-1 Index number: 603-064-00-3 Flam. Liq. 2, H225 1-methoxy-2-propanol R10-67 Flam. Liq. 2, H225 STOT SE 3, H336	64-17-5	ethanol	<3%
CAS: 107-98-2 EINECS: 203-539-1 Index number: 603-064-00-3 1-methoxy-2-propanol R10-67 Flam. Liq. 2, H225 STOT SE 3, H336		Flam. Liq. 2, H225	
Flam. Liq. 2, H225 STOT SE 3, H336	CS: 203-539-1	1-methoxy-2-propanol R10-67	<1%
	(number: 603-064-00-3	◆ STOT SE 3, H336	
CAS: 119345-04-9 Benzene, 1, 1 -oxybis-,tetrapropylene derivatives, sulfonated, sodium salts Xi R36, Eye Irrit. 2A H319,	119345-04-9	Benzene, 1, 1 -oxybis-,tetrapropylene derivatives, sulfonated, sodium salts	<10%

• Additional information: For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

• 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate medical help for blistering or open wounds.

(Contd. on page 4)

Trade name: Multi-Scrub

(Contd. from page 3)

• After eye contact: Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

• 4.2 Most important symptoms and effects, both acute and delayed

Irritant to skin and mucous membranes, Breathing difficulty, Headache, Dizziness, Cramp, Coughing, Nausea

Hazards

Danger of gastric perforation.

Danger of severe eye injury.

Danger of impaired breathing.

Condition may deteriorate with alcohol consumption.

• 4.3 Indication of any immediate medical attention and special treatment needed

Medical supervision for at least 48 hours.

Monitor circulation, possible shock treatment.

If necessary oxygen respiration treatment.

5 Fire-fighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information Use large quantities of foam as it is partially destroyed by the product.

6 Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

Clean the affected area carefully; suitable cleaners are:

Warm water

• 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Trade name: Multi-Scrub

(Contd. from page 4)

7 Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Unsuitable material for receptacle: aluminium.

Avoid storage near extreme heat, ignition sources or open flame.

• Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

Store away from metals.

• Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

• 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:		
100-51-6 Benzyl alcohol		
WEEL (USA)	Long-term value: 10 ppm	
141-43-5 2-aminoe	thanol	
IOELV (EU)	Short-term value: 7,6 mg/m³, 3 ppm Long-term value: 2,5 mg/m³, 1 ppm Skin	
PEL (USA)	Long-term value: 6 mg/m³, 3 ppm	
REL (USA)	Short-term value: 15 mg/m³, 6 ppm Long-term value: 8 mg/m³, 3 ppm	
TLV (USA)	Short-term value: 15 mg/m³, 6 ppm Long-term value: 7.5 mg/m³, 3 ppm	
EL (Canada)	Short-term value: 6 ppm Long-term value: 3 ppm	
EV (Canada)	Short-term value: 15 mg/m³, 6 ppm Long-term value: 7.5 mg/m³, 3 ppm	
102-71-6 2,2',2"-nitrilotriethanol		
TLV (USA)	Long-term value: 5 mg/m³	
EL (Canada)	Long-term value: 5 mg/m³	
EV (Canada)	Long-term value: 3.1 mg/m³, 0,5 ppm	

(Contd. on page 5)

Trade name: Multi-Scrub

(Contd. from page 5)

	, , , ,
64-17-5 ethanol	
PEL (USA)	Long-term value: 1900 mg/m³, 1000 ppm
REL (USA)	Long-term value: 1900 mg/m³, 1000 ppm
TLV (USA)	Short-term value: 1880 mg/m³, 1000 ppm
EL (Canada)	Short-term value: 1000 ppm
EV (Canada)	Long-term value: 1,900 mg/m³, 1,000 ppm
107-98-2 1-methox	y-2-propanol
IOELV (EU)	Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Skin
REL (USA)	Short-term value: 540 mg/m³, 150 ppm Long-term value: 360 mg/m³, 100 ppm
TLV (USA)	Short-term value: 369 mg/m³, 100 ppm Long-term value: 184 mg/m³, 50 ppm
EL (Canada)	Short-term value: 75 ppm Long-term value: 50 ppm
EV (Canada)	Short-term value: 550 mg/m³, 150 ppm Long-term value: 365 mg/m³, 100 ppm

- **DNELs** No further relevant information available.
- PNECs No further relevant information available.
- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Trade name: Multi-Scrub

Penetration time of glove material

(Contd. from page 6)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Contact lenses should not be worn without eye protection.



Safety glasses

- Body protection: Alkaline resistant protective clothing
- Limitation and supervision of exposure into the environment No further relevant information available.
- Risk management measures

See Section 7 for additional information.

No further relevant information available.

9 Physical and chemical properties

or injurious und choimed proportion				
9.1 Information on basic physical and chemical properties				
General Information				
Appearance:				
Form:	Liquid			
Color:	Light orange color			
• Odor:	Solvent-like			
Odor threshold:	Not determined.			
• pH-value at 20 °C:	11.5 ± 0.5 for concentrate			
Change in condition				
Melting point/Melting range:	Undetermined.			
Boiling point/Boiling range:	212 °F / 100 °C			
• Flash point:	Not applicable.			
Flammability (solid, gaseous):	Not applicable.			
Ignition temperature:	Not determined.			
Decomposition temperature:	Not determined.			
Self-igniting:	Product is not self-igniting.			
Danger of explosion:	Product does not present an explosion hazard.			
Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
Vapor pressure at 20 °C:	23 hPa			
Density at 20 °C:	1.04 g/cm³			
Relative density	Not determined.			
Vapor density	Not determined.			
Evaporation rate	Not determined.			
Solubility in / Miscibility with water:	Fully miscible.			
Partition coefficient				
(n-octanol/water):	Not determined.			

(Contd. on page 8)

Trade name: Multi-Scrub

(Contd. from page 7)

Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
• 9.2 Other information	No further relevant information available.

10 Stability and reactivity

- 10.1 Reactivity Not determined.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

• 10.3 Possibility of hazardous reactions

Corrosive action on metals.

Reacts with halogenated compounds.

Reacts with strong oxidizing agents.

Reacts with strong acids.

Toxic fumes may be released if heated above the decomposition point.

- 10.4 Conditions to avoid Store away from oxidizing agents.
- Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Hydrocarbons

Sulphur oxides (SOx)

11 Toxicological information

- •11.1 Information on toxicological effects
- Acute toxicity:

• LD/LC50	values rel	evant for classification:	
100-51-6	100-51-6 Benzyl alcohol		
Oral	LD50	1230 mg/kg (rat)	
Dermal	LD50	2000 mg/kg (rabbit)	
141-43-5	141-43-5 2-aminoethanol		
Oral	LD50	2050 mg/kg (rat)	
Dermal	LD50	1000 mg/kg (rabbit)	

- Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- Subacute to chronic toxicity:

Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

(Contd. on page 9)

Trade name: Multi-Scrub

Additional toxicological information:

(Contd. from page 8)

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Danger through skin adsorption.

- Acute effects (acute toxicity, irritation and corrosivity): Vapors have narcotic effect.
- Repeated dose toxicity: May cause damage to organs through prolonged or repeated exposure.

12 Ecological information

- 12.1 Toxicity
- Aquatic toxicity: The product contains materials that are harmful to the environment.
- 12.2 Persistence and degradability The product is partially biodegradable. Significant residuals remain.
- 12.3 Bioaccumulative potential Does not accumulate in organisms.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- Remark:

Inhibition of the development of the biomass

Toxic for algae

- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low waterdangerous.

This statement was deduced from the properties of the single components.

Water Hazard Class (Self-classification) in the concentrate.

Harmful to aquatic organisms

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

Trade name: Multi-Scrub

(Contd. from page 9)

14.1 UN-Number DOT, ADR, ADN, IMDG, IATA	NA1760
14.2 UN proper shipping nameDOT	NA1760, Compounds, cleaning liquid, (containing monoethanolamine), 8, PG III, Ltd. Qty.
• ADR	NA1760, Compounds, cleaning liquid, (containing monoethanolamine), 8
• IMDG, IATA	Compounds, cleaning liquid, (containing monoethanolamine)
• 14.3 Transport hazard class(es)	
• DOT-ROAD & RAIL ONLY	
_	
• Class • Label	N/A LTD. QTY.
• ADR	
• Class	8 (C9) Corrosive substances.
• Label	8
• IMDG, IATA	
• Class • Label	8 Corrosive substances. 8
• 14.4 Packing group • DOT, ADR, IMDG, IATA	III
• 14.5 Environmental hazards: • Marine pollutant:	No
 14.6 Special precautions for user Danger code (Kemler): EMS Number: 	Warning: Corrosive substances. 80 F-A,S-B
 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.

(Contd. on page 11)

Trade name: Multi-Scrub	
	(Contd. from page
Transport/Additional information:	
•ADR	
Limited quantities (LQ)	5L
• Transport category	3
• Tunnel restriction code	E
UN "Model Regulation":	NA1760, Compounds, cleaning liquid, (containing monoethanolamine), 8, PG III, Ltd. Qty.

15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA
- Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

- Proposition 65 (California):
- Chemicals known to cause cancer:

111-42-2 diethanolamine

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

64 17 5	ethanol
h/l-1/-h	I ATRANAI

Carcinogenic Categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

IARC (International Agency for Research on Cancer)		
102-71-6	2,2',2"-nitrilotriethanol	3
64-17-5	ethanol	1

• TLV (Thresho	ld Limit Value established by ACGIH)	
64-17-5	ethanol	A3

NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed.

(Contd. on page 12)

Trade name: Multi-Scrub

(Contd. from page 11)

• OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Canada

Canadian Domestic Substances List (DSL)

All ingredients are listed.

 Canadian Ing 	redient Disclosure	list	(limit	0.1%)

64-17-5	ethanol
---------	---------

Canadian Ingredient Disclosure list (limit 1%)		
100-51-6	Benzyl alcohol	
141-43-5	2-aminoethanol	
102-71-6	2,2',2"-nitrilotriethanol	
107-98-2	1-methoxy-2-propanol	

^{• 15.2} Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H336

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.

May cause drowsiness or dizziness.

R10	Flammable.
R11	Highly flammable.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

Harmful by inhalation and if swallowed. R20/22

Harmful if swallowed. R22 R34 Causes burns. R38 Irritating to skin.

R41 Risk of serious damage to eyes. R52 Harmful to aquatic organisms.

R67 Vapours may cause drowsiness and dizziness.

Trade name: Multi-Scrub

(Contd. from page 12)

• SDS File Name: FM80 MULTI-SCRUB SDS

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH) VOC: Volatile Organic Compounds (USA, EU)

Sources

SDS Prepared by: ChemTel Inc.

1305 North Florida Avenue Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

Revision: 5/29/2018

Steams Packaging Corporation makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of his own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by Steams Packaging Corporation as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor does Steams Packaging Corporation assume any liability arising out of the use by others of this product referred to herein. The data in this MSDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Steams Packaging Corporation does not recommend blending this product with any other chemicals. All information, recommendations and data contained herein concerning this product are based upon information available at the time of writing from recognized technical sources.