Revision Date: 03/13/2020

# SAFETY DATA SHEET

# 1. Identification

Product identifier: BT SURFACE DISINFECTANT and DEODORIZING SPRAY- DIN: 02335565

Other means of identification

**SDS number:** RE1000020730

Recommended restrictions
Product Use: Disinfectant

Restrictions on use: Not known.

# Manufacturer/Importer/Distributor Information

#### Manufacturer

Company Name: K-G Spray-Pak Inc. Address: 8001 Keele Street

Vaughan, Ontario L4K 1Y8

Telephone: 1-905-669-9855

Fax:

Emergency telephone number: 1-866-836-8855

# 2. Hazard(s) identification

# Hazard Classification Physical Hazards

Flammable aerosol Category 1

#### **Label Elements**

# **Hazard Symbol:**



Signal Word: Danger

Hazard Statement: Precautionary Statements Extremely flammable aerosol.

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition

source. Do not pierce or burn, even after use.

Storage: Protect from sunlight. Do not expose to temperatures exceeding 50

°C/122°F.

Other hazards which do not result in GHS classification:

None.

Revision Date: 03/13/2020

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
Ethanol		64-17-5	15 - 40%
Propane, 2-methyl-		75-28-5	10 - 30%
2-Propanol, 1-methoxy-		107-98-2	1 - 5%
Propane		74-98-6	1 - 5%
Morpholine		110-91-8	0.1 - 1%
Nitrous acid, sodium salt (1:1)		7632-00-0	0.1 - 1%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#### 4. First-aid measures

**Ingestion:** Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

**Inhalation:** Move to fresh air.

**Skin Contact:** Wash skin thoroughly with soap and water. If skin irritation occurs: Get

medical advice/attention.

**Eye contact:** Any material that contacts the eye should be washed out immediately with

water. If easy to do, remove contact lenses. If eye irritation persists: Get

medical advice/attention.

Most important symptoms/effects, acute and delayed

**Symptoms:** No data available.

**Hazards:** No data available.

Indication of immediate medical attention and special treatment needed

**Treatment:** No data available.

# 5. Fire-fighting measures

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

**Special protective equipment** 

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

Revision Date: 03/13/2020

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

Methods and material for containment and cleaning up:

Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.

**Notification Procedures:** 

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

**Environmental Precautions:** 

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages.

# 7. Handling and storage

Precautions for safe handling: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition

source. Do not pierce or burn, even after use.

Conditions for safe storage, including any incompatibilities:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Aerosol Level 2

# 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	Туре	Exposure l	Limit Values	Source
Ethanol	TWA	1,000 ppm	1,880 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
Ethanol	15 MIN ACL	1,250 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Ethanol	STEL	1,000 ppm		Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
Ethanol	STEL	1,000 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Ethanol	STEL	1,000 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	8 HR ACL	1,000 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Ethanol	TWA	1,000 ppm	1,880 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Ethanol	STEL	1,000 ppm		US. ACGIH Threshold Limit Values (2009)
Propane, 2-methyl-	STEL	1,000 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (08 2017)
Propane, 2-methyl-	8 HR ACL	1,000 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL	1,250 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Propane, 2-methyl-	STEL	1,000 ppm		Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2018)
Propane, 2-methyl-	STEL	1,000 ppm		US. ACGIH Threshold Limit Values (03 2018)
2-Propanol, 1-methoxy-	STEL	150 ppm	553 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
2-Propanol, 1-methoxy-	TWA	50 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	STEL	75 ppm		Canada. British Columbia OELs. (Occupational

Revision Date: 03/13/2020

				Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
2-Propanol, 1-methoxy-	TWA	50 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
	STEL	100 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
	TWA	100 ppm	369 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
2-Propanol, 1-methoxy-	TWA	50 ppm		Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2013)
2-Propanol, 1-methoxy-	8 HR ACL	100 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL	150 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	STEL	100 ppm		Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2013)
2-Propanol, 1-methoxy-	TWA	100 ppm	369 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
	STEL	150 ppm	553 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
2-Propanol, 1-methoxy-	TWA	50 ppm		US. ACGIH Threshold Limit Values (02 2013)
Propane	STEL TWA	100 ppm 1,000 ppm		US. ACGIH Threshold Limit Values (02 2013) Canada. Alberta OELs (Occupational Health &
<u> </u>	0.115.151	4.000		Safety Code, Schedule 1, Table 2) (07 2009)
Propane	8 HR ACL	1,000 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Propane	TWA	1,000 ppm	1,800 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Propane	TWA	1,000 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	15 MIN ACL	1,250 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Morpholine	TWA	20 ppm	71 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
Morpholine	TWA	20 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Morpholine	TWA	20 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
Morpholine	TWA	20 ppm	71 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Morpholine	15 MIN	30 ppm		Canada. Saskatchewan OELs (Occupational Health
·	ACL 8 HR ACL	20 ppm		and Safety Regulations, 1996, Table 21) (05 2009) Canada. Saskatchewan OELs (Occupational Health
Morpholine	TWA	20 ppm		and Safety Regulations, 1996, Table 21) (05 2009)  Canada. Manitoba OELs (Reg. 217/2006, The
Morpholine	TWA	20 ppm		Workplace Safety And Health Act) (03 2011) US. ACGIH Threshold Limit Values (2008)
2-Propanol, 2-methyl-	TWA	100 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
2-Propanol, 2-methyl-	TWA	100 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
2-Propanol, 2-methyl-	TWA	100 ppm	303 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
2-Propanol, 2-methyl-	8 HR ACL	100 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL	125 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
2-Propanol, 2-methyl-	TWA	100 ppm	303 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
2-Propanol, 2-methyl-	TWA	100 ppm		Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
2-Propanol, 2-methyl-	TWA	100 ppm		US. ACGIH Threshold Limit Values (2008)

Revision Date: 03/13/2020

1-Propanol, 2-methoxy-	TWA	20 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	STEL	40 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
2-Pentanone, 4-methyl-	TWA	50 ppm	205 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
	STEL	75 ppm	307 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
2-Pentanone, 4-methyl-	8 HR ACL	50 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL	75 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
2-Pentanone, 4-methyl-	TWA	20 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013)
	STEL	75 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
2-Pentanone, 4-methyl-	STEL	75 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
2-Pentanone, 4-methyl-	STEL	75 ppm		Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
	TWA	20 ppm		Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
	TWA	20 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
2-Pentanone, 4-methyl-	TWA	50 ppm	205 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
	STEL	75 ppm	307 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
2-Pentanone, 4-methyl-	STEL	75 ppm		US. ACGIH Threshold Limit Values (2008)
	TWA	20 ppm		US. ACGIH Threshold Limit Values (01 2010)
Ethanol, 2-methoxy-	TWA	0.1 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Ethanol, 2-methoxy-	TWA	0.1 ppm	0.3 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Ethanol, 2-methoxy-	8 HR ACL	5 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Ethanol, 2-methoxy-	TWA	0.1 ppm		Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
Ethanol, 2-methoxy-	TWA	5 ppm	16 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Ethanol, 2-methoxy-	TWA	0.1 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (12 2007)
	15 MIN ACL	8 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Ethanol, 2-methoxy-	TWA	0.1 ppm		US. ACGIH Threshold Limit Values (2008)
1,2-Ethanediamine	TWA	10 ppm	25 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
1,2-Ethanediamine				
1,2-Luianeulaiiiile	TWA	10 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
1,2-Ethanediamine	TWA  15 MIN ACL	10 ppm		Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)  Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN		25 mg/m3	Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)  Canada. Saskatchewan OELs (Occupational Health
1,2-Ethanediamine	15 MIN ACL	15 ppm	25 mg/m3	Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)  Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)  Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work
1,2-Ethanediamine	15 MIN ACL TWA	15 ppm 10 ppm	25 mg/m3	Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)  Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)  Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)  Canada. Saskatchewan OELs (Occupational Health

Revision Date: 03/13/2020

1,2-Ethanediamine	TWA	10 ppm		US. ACGIH Threshold Limit Values (2008)
Morpholine, 4-ethyl-	TWA	5 ppm	24 mg/m3	Canada. Alberta OELs (Occupational Health &
	8 HR ACL	• • • • • • • • • • • • • • • • • • • •	24 mg/mo	Safety Code, Schedule 1, Table 2) (10 2006)  Canada. Saskatchewan OELs (Occupational Health
Morpholine, 4-ethyl-		5 ppm		and Safety Regulations, 1996, Table 21) (05 2009)
Morpholine, 4-ethyl-	TWA	5 ppm		Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
Morpholine, 4-ethyl-	TWA	5 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Morpholine, 4-ethyl-	TWA	5 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Morpholine, 4-ethyl-	TWA	5 ppm	24 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
	15 MIN ACL	8 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Morpholine, 4-ethyl-	TWA	5 ppm		US. ACGIH Threshold Limit Values (2008)
Silica - Total	TWA	- 11	4 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Silica - Respirable.	TWA		1.5 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Silica - Respirable dust.	TWA		6 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Sodium hydroxide (Na(OH))	Ceiling		2 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Sodium hydroxide (Na(OH))	CEILING		2 mg/m3	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
Sodium hydroxide (Na(OH))	CEILING		2 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Sodium hydroxide (Na(OH))	CEILING		2 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
Sodium hydroxide (Na(OH))	CEV		2 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (12 2007)
Sodium hydroxide (Na(OH))	CEILING		2 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Sodium hydroxide (Na(OH))	Ceiling		2 mg/m3	US. ACGIH Threshold Limit Values (2008)
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	TWA		10 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methylVapor and aerosol, inhalable.	TWA		2 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methylInhalable fraction and vapor.	8 HR ACL		2 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL		4 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Phenol, 2,6-bis(1,1- dimethylethyl)-4-methyl Inhalable fraction and vapor.	TWA		2 mg/m3	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methylInhalable fraction and vapor.	TWA		2 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Phenol, 2,6-bis(1,1-dimethylethyl)-4-methyl-	TWA		10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Phenol, 2,6-bis(1,1- dimethylethyl)-4-methyl Inhalable fraction and vapor.	TWA		2 mg/m3	US. ACGIH Threshold Limit Values (2008)

Appropriate Engineering Controls

No data available.

Revision Date: 03/13/2020

# Individual protection measures, such as personal protective equipment

**General information:** Use personal protective equipment as required. Personal protection

equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection:** Wear goggles/face shield.

**Skin Protection** 

**Hand Protection:** No data available.

Other: No data available.

**Respiratory Protection:** In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

**Hygiene measures:** When using do not smoke. Observe good industrial hygiene practices.

# 9. Physical and chemical properties

**Appearance** 

Physical state: liquid

Form: Spray Aerosol Color: No data available. Odor: No data available. **Odor threshold:** No data available. :Ha No data available. Melting point/freezing point: No data available. Initial boiling point and boiling range: Estimated 70.79 °C Flash Point: Estimated -104.4 °C **Evaporation rate:** No data available. Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

Explosive limit - lower (%):

No data available.

Vapor pressure:

Estimated 13.7 %(V)

No data available.

No data available.

Vapor density:No data available.Density:No data available.Relative density:No data available.

Solubility(ies)

Solubility in water:
Solubility (other):
No data available.
Viscosity:
No data available.

# 10. Stability and reactivity

**Reactivity:** No data available.

**Chemical Stability:** Material is stable under normal conditions.

Revision Date: 03/13/2020

Possibility of hazardous

reactions:

No data available.

**Conditions to avoid:** Avoid heat or contamination.

**Incompatible Materials:**No data available.

**Hazardous Decomposition** 

**Products:** 

No data available.

# 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation:** No data available.

**Skin Contact:** No data available.

**Eye contact:** No data available.

**Ingestion:** No data available.

#### Information on toxicological effects

# Acute toxicity (list all possible routes of exposure)

Oral

**Product:** ATEmix: 70,256.42 mg/kg

Dermal

**Product:** ATEmix: 151,478.79 mg/kg

Inhalation

**Product:** Not classified for acute toxicity based on available data.

Specified substance(s):

Ethanol LC 50 (Rat): 124.7 mg/l

LC 50: > 5 mg/l

2-Propanol, 1-methoxy- LC 50: > 100 mg/l

LC 50: > 100 mg/l

Propane LC 50: > 100 mg/l

LC 50: > 100 mg/l

Morpholine LC 50: > 24 mg/l

LC 50: > 5 mg/l LC 0 (Rat): 24 mg/l

Nitrous acid, sodium salt LC 0 (Rat): 0.0951 mg/l

(1:1)

# Repeated dose toxicity

**Product:** No data available.

Revision Date: 03/13/2020

Specified substance(s):

Ethanol NOAEL (Rat(Male), Oral, 7 - 14 Weeks): 10 %(m) Oral Experimental result,

Key study

Propane, 2-methyl- NOAEL (Rat(Female, Male), Inhalation, >= 42 d): 16,000 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation): 21,394 mg/m3 Inhalation

Experimental result, Key study

2-Propanol, 1-methoxy- NOAEL (Rat(Female, Male), Inhalation, 13 Weeks): 1,000 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rabbit(Female, Male), Dermal, 3 Months): 4,600 mg/kg Dermal

Experimental result, Supporting study

Propane NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

Morpholine NOAEL (Rat(Female, Male), Inhalation): 36 ppm(m) Inhalation Experimental

result, Key study

LOAEL (Rat(Female), Oral, 56 d): 500 mg/kg Oral Experimental result, Key

study

Nitrous acid, sodium salt

(1:1)

LOAEL (Rat(Male), Oral, 14 Weeks): 115 mg/kg Oral Experimental result,

Weight of Evidence study

NOAEL (Rat(Male), Oral, 2 yr): 10 mg/kg Oral Experimental result,

Supporting study

Skin Corrosion/Irritation

**Product:** No data available.

Specified substance(s):

Ethanol in vivo (Rabbit): Not irritant Experimental result, Key study

2-Propanol, 1-methoxy- in vivo (Rabbit): Not irritant Experimental result, Key study

Morpholine in vivo (Rabbit): Corrosive Experimental result, Key study

Nitrous acid, sodium

salt (1:1)

in vivo (Rabbit): Not irritant Experimental result, Weight of Evidence study

#### Serious Eye Damage/Eye Irritation

**Product:** No data available.

Specified substance(s):

Ethanol Rabbit, 1 - 24 hrs: Not irritating 2-Propanol, 1-methoxy-Rabbit, 24 - 72 hrs: Not irritating

**Respiratory or Skin Sensitization** 

**Product:** No data available.

Specified substance(s):

Ethanol Skin sensitization:, in vivo (Guinea pig): Non sensitising Skin sensitization:, in vivo (Guinea pig): Non sensitising Skin sensitization:, in vivo (Guinea pig): Non sensitising Skin sensitization:, in vivo (Guinea pig): Non sensitising

Carcinogenicity

**Product:** No data available.

# IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

Revision Date: 03/13/2020

### US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

#### **ACGIH Carcinogen List:**

No carcinogenic components identified

#### **Germ Cell Mutagenicity**

In vitro

**Product:** No data available.

In vivo

**Product:** No data available.

Reproductive toxicity

**Product:** No data available.

Specific Target Organ Toxicity - Single Exposure
Product:
No data available.

Specified substance(s):

2-Propanol, 1-methoxy- Narcotic effect. - Category 3 with narcotic effects.

Specific Target Organ Toxicity - Repeated Exposure
Product:
No data available.

**Aspiration Hazard** 

**Product:** No data available.

Other effects: No data available.

# 12. Ecological information

#### **Ecotoxicity:**

#### Acute hazards to the aquatic environment:

**Fish** 

**Product:** No data available.

Specified substance(s):

Ethanol LC 50 (Pimephales promelas, 96 h): 15.3 g/l Experimental result, Key study

2-Propanol, 1-methoxy- LC 50 (Pimephales promelas, 96 h): 20,800 mg/l Experimental result, Key

study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Morpholine LC 50 (Oncorhynchus mykiss, 96 h): 180 mg/l Experimental result, Key

study

Nitrous acid, sodium salt

(1:1)

LC 50 (Paralichthys orbignyanus, 96 h): 118.3 mg/l Experimental result,

Supporting study

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s):

Ethanol LC 50 (Ceriodaphnia dubia, 48 h): 5,012 mg/l Experimental result, Key study

2-Propanol, 1-methoxy- EC 50 (Daphnia magna, 48 h): >= 1,000 mg/l Experimental result,

Supporting study

Revision Date: 03/13/2020

Morpholine EC 50 (Daphnia magna, 48 h): 45 mg/l Experimental result, Key study

(1:1) EC 50 (Daphnia magna, 48 h): 15.4 mg/l Experimental result, Key study

# Chronic hazards to the aquatic environment:

Fish

**Product:** No data available.

Specified substance(s):

Ethanol NOAEL (Oryzias latipes): 7,900 mg/l Read-across from supporting

substance (structural analogue or surrogate), Supporting study

Nitrous acid, sodium salt

(1:1)

NOAEL (Cyprinus carpio): 1.05 mg/l Experimental result, Key study

**Aquatic Invertebrates** 

**Product:** No data available.

Specified substance(s):

Ethanol LC 50 (Daphnia magna): 454 mg/l Experimental result, Key study

NOAEL (Daphnia magna): 9.6 mg/l Experimental result, Key study

Morpholine EC 50 (Daphnia magna): 12 mg/l Experimental result, Key study

NOAEL (Daphnia magna): 5 mg/l Experimental result, Key study

**Toxicity to Aquatic Plants** 

**Product:** No data available.

#### Persistence and Degradability

Biodegradation

**Product:** No data available.

Specified substance(s):

Ethanol 95 % Detected in water. Experimental result, Key study

Propane, 2-methyl- 100 % Detected in water. QSAR, Weight of Evidence study

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study

50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

Morpholine > 90 % (24 h) Sediment Experimental result, Key study

80 - 94 % (24 h) Sediment Experimental result, Key study

Nitrous acid, sodium salt

(1:1)

95 % (10 d) The 10-day window requirement is fulfilled.

**BOD/COD Ratio** 

**Product:** No data available.

Bioaccumulative potential

**Bioconcentration Factor (BCF)** 

**Product:** No data available.

Specified substance(s):

Ethanol Cyprinus carpio, Bioconcentration Factor (BCF): 4.5 Aquatic sediment Read-

across from supporting substance (structural analogue or surrogate),

Supporting study

Morpholine Cyprinus carpio, Bioconcentration Factor (BCF): < 2.8 Aquatic sediment

Experimental result, Key study

Revision Date: 03/13/2020

Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Ethanol No data available.
Propane, 2-methyl2-Propanol, 1-methoxyPropane No data available.
Morpholine No data available.

Other adverse effects: No data available.

13. Disposal considerations

**Disposal instructions:** Wash before disposal. Dispose to controlled facilities.

**Contaminated Packaging:** No data available.

14. Transport information

**TDG** 

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1
Label(s): –
EmS No.:

Packing Group: -

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

**IMDG** 

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2 Label(s): – EmS No.:

Packing Group: -

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

**IATA** 

UN Number: UN 1950

Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): Packing Group: -

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

Revision Date: 03/13/2020

# 15. Regulatory information

#### **Canada Federal Regulations**

List of Toxic Substances (CEPA, Schedule 1)

#### **Chemical Identity**

1-Propanol, 2-methoxy-Ethanol, 2-methoxy-

# Export Control List (CEPA 1999, Schedule 3)

# **Chemical Identity**

Ethanol, 2-methoxy-

### **National Pollutant Release Inventory (NPRI)**

# Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional Reporting Requirements

NPRI PT5 Ethanol

Propane, 2-methyl-

Propane

2-Pentanone, 4-methyl-

# Canada. National Pollutant Release Inventory (NPRI) (Schedule 1, Parts 1-4)

NPRI Not Regulated

#### **Greenhouse Gases**

Not Regulated

# **Controlled Drugs and Substances Act**

CA CDSI	Not Regulated
CA CDSII	Not Regulated
CA CDSIII	Not Regulated
CA CDSIV	Not Regulated
CA CDSV	Not Regulated
CA CDSVII	Not Regulated
CA CDSVIII	Not Regulated

# **Precursor Control Regulations**

Not Regulated

### International regulations

# Montreal protocol

Not applicable

#### Stockholm convention

Not applicable

#### **Rotterdam convention**

Not applicable

#### **Kyoto protocol**

Not applicable

Revision Date: 03/13/2020

**Inventory Status:** 

Australia AICS: On or in compliance with the inventory

Canada DSL Inventory List: On or in compliance with the inventory

Canada NDSL Inventory: Not in compliance with the inventory.

Ontario Inventory: Not in compliance with the inventory.

China Inv. Existing Chemical Substances:

On or in compliance with the inventory

Japan (ENCS) List: Not in compliance with the inventory.

Japan ISHL Listing: Not in compliance with the inventory.

Japan Pharmacopoeia Listing: Not in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory

Mexico INSQ: Not in compliance with the inventory.

New Zealand Inventory of Chemicals: On or in compliance with the inventory

Philippines PICCS: On or in compliance with the inventory

Taiwan Chemical Substance Inventory: On or in compliance with the inventory

US TSCA Inventory: On or in compliance with the inventory

EINECS, ELINCS or NLP: Not in compliance with the inventory.

# 16.Other information, including date of preparation or last revision

**Issue Date:** 03/13/2020

Revision Date: No data available.

Version #: 1.0

Further Information: No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.