Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015 Issue date: 2023-12-18 Revision date: 2023-12-18

Version: 1.0 **SECTION 1: Identification** 1.1. Identification Product form : Mixture Product name **Glass Cleaning Tablets** Product code SDS 507 · 1.2. Recommended use and restrictions on use Recommended use : Glass cleaner 1.3. Supplier Distributor Distributor XeroTabs Inc. Add the name, address and tel. number of the US manufacturer or importer 101-2275 Upper Middle Rd. E who operates in the US P.O. Box L6H 0C3 Oakville, - CANADA T 905-491-6892 - F 905-491-6801 www.xerotabs.com 1.4. Emergency telephone number Emergency number : 905-491-6892 (8:00-17:00 EST) SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture **GHS** classification Skin Irrit. 2 Eye Irrit. 2A 2.2. GHS Label elements, including precautionary statements **GHS** labelling Hazard pictograms (GHS) Signal word (GHS) : Warning Hazard statements (GHS) : Causes skin irritation. Causes serious eye irritation. Precautionary statements (GHS) : Wash hands thoroughly after handling. If skin irritation occurs: Get medical advice/attention.

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity

Not applicable

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
Disodium carbonate	Disodium carbonate Sodium carbonate / Carbonic acid, disodium salt / Soda ash / Sodium carbonate (2:1) / Sodium carbonate, anhydrous / Carbonic acid sodium salt (1:2) / SODIUM CARBONATE / Sodium carbonate anhydrous	CAS-No.: 497-19-8	15 < 40
Alcohols, C16-18, ethoxylated	Alcohols, C16-18, ethoxylated C16-18 Alcohol reacted with 16 moles ethylene oxides / Polyethylene glycol monoalkyl(C16-18) ether	CAS-No.: 68439-49-6	10 < 30
Sulfonic acids, C14-16-alkane hydroxy and C14- 16-alkene, sodium salts	Sulfonic acids, C14-16-alkane hydroxy and C14-16- alkene, sodium salts Sulfonates, alkyl (C14-16) olefin, sodium salt / Sodium sulfonates, C14-16-alkane hydroxy and C14-16-alkene / Sodium (C14-16) olefin sulfonate / Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts / SODIUM C14-16 OLEFIN SULFONATE / Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts / Sodium C14-16 olefin sulfonate / Bio-terge AS- 40	CAS-No.: 68439-57-6	5 - 13

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Not a normal route of exposure. If symptoms develop, remove to fresh air. Get medical attention if condition worsens.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and effect	cts (acute and delayed)
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact	 Not expected to be a primary route of exposure. Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguis	hing media
Suitable extinguishing media Unsuitable extinguishing media	Carbon dioxide (CO2). Dry powder. Water spray.Do not use water jet.
5.2. Specific hazards arising from the c	hemical
Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon.
5.3. Special protective equipment and I	precautions for fire-fighters
Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
SECTION 6: Accidental release mea	asures
6.1. Personal precautions, protective e	quipment and emergency procedures
General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
6.1.1. For non-emergency personnel	
No additional information available	
6.1.2. For emergency responders	
No additional information available	
6.2. Environmental precautions	

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up		
For containment	: Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).	
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Provide ventilation.	

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and stora	age
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.
Hygiene measures	: Wash contaminated clothing before reuse. Always wash hands after handling the product.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage conditions	: Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well- ventilated place. Store locked up.

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

		al protection		
8.1. Control paramet	ters			
Glass Cleaning Tab	lets			
No additional informatio	n available			
Disodium carbonate	e (497-19-8)			
No additional informatio	n available			
Sulfonic acids, C14	-16-alkane hydroxy and	C14-16-alkene, sodiu	m salts (68439-57-6)	
No additional informatio	n available			
Alcohols, C16-18, e	thoxylated (68439-49-6)			
No additional informatio	n available			
8.2. Appropriate eng	ineering controls			
Appropriate engineering	controls	: Ensure good ventilation	n of the work station. Provide read	tily accessible eve wash stations an
		-		
		safety showers. : Avoid release to the e		
Environmental exposure	controls	safety showers. : Avoid release to the e	nvironment.	
Environmental exposure		safety showers. : Avoid release to the e	nvironment.	
Environmental exposure 8.3. Individual protection:	controls	safety showers. : Avoid release to the e	nvironment.	
Environmental exposure 8.3. Individual protection: Hand protection: None necessary under r	controls ction measures/Persona normal conditions of use.	safety showers. Avoid release to the e	nvironment. nt	
Environmental exposure 8.3. Individual protect Hand protection: None necessary under r Type	controls	safety showers. : Avoid release to the e	nvironment.	Penetration
Environmental exposure B.3. Individual protect Hand protection: None necessary under n Type Disposable gloves,	controls ction measures/Persona normal conditions of use.	safety showers. Avoid release to the e	nvironment. nt	
Environmental exposure 8.3. Individual protect Hand protection: None necessary under r	controls ction measures/Persona normal conditions of use. Material	safety showers. Avoid release to the e	nvironment. nt Thickness (mm)	
Environmental exposure 8.3. Individual protection: Hand protection: None necessary under in Type Disposable gloves, Reusable gloves Eye protection:	controls ction measures/Persona normal conditions of use. Material	safety showers. Avoid release to the e	nvironment. nt Thickness (mm)	
Environmental exposure 8.3. Individual protect Hand protection: None necessary under n Type Disposable gloves, Reusable gloves Eye protection:	controls ction measures/Person normal conditions of use. Material Nitrile rubber (NBR) normal conditions of use.	safety showers. Avoid release to the e	nvironment. nt Thickness (mm)	
Environmental exposure 3.3. Individual protect Hand protection: None necessary under no Type Disposable gloves, Reusable gloves Eye protection: None necessary under no Skin and body protect	controls ction measures/Person normal conditions of use. Material Nitrile rubber (NBR) normal conditions of use.	safety showers. Avoid release to the e	nvironment. nt Thickness (mm)	
Environmental exposure 8.3. Individual protect Hand protection: None necessary under in Type Disposable gloves, Reusable gloves Eye protection: None necessary under in Skin and body protect	controls ction measures/Person normal conditions of use. Material Nitrile rubber (NBR) normal conditions of use. ion: normal conditions of use.	safety showers. Avoid release to the e	nvironment. nt Thickness (mm)	

SECTION 9: Physical and chemical properties		
9.1. Information on basic physic	al and chemical properties	
Physical state	: Solid	
Appearance	: Tablets.	
Colour	: Blue	
Odour	: Yes	
Odour threshold	: Not determined	
рН	: 6	
pH solution concentration	: 1%	

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Melting point Freezing point Boiling point Flash point Relative evaporation rate (butylacetate=1) Flammability Vapour pressure Relative vapour density at 20°C / 68 °F Relative density Solubility Partition coefficient n-octanol/water Auto-ignition temperature Decomposition temperature Viscosity, kinematic Viscosity, dynamic Explosive limits	 No data available No data available No data available No data available Not applicable Not flammable. Not applicable No data available No data available Water: Easily soluble No data available product is not self igniting No data available Not applicable Not applicable Not ata available product is not self igniting No tata available Not applicable
Viscosity, dynamic	: Not applicable
Explosive limits	: No data available
Explosive properties	: Product does not present an explosion hazard.
Oxidising properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Incompatible materials.

10.5. Incompatible materials

Strong oxidizers.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (dermal) : I	Not classified. Not classified. Not classified.	
Disodium carbonate (497-19-8)		
LD50 oral rat	2800 mg/kg bodyweight Animal: rat	

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Disodium carbonate (497-19-8)	
LD50 dermal rabbit	> 2000 mg/kg
ATE CA (oral)	2800 mg/kg bodyweight
Sulfonic acids, C14-16-alkane hydroxy and C	C14-16-alkene, sodium salts (68439-57-6)
LD50 oral rat	2220 mg/kg
LD50 dermal rabbit	> 740 mg/kg
LC50 inhalation rat	> 52 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
ATE CA (oral)	2220 mg/kg bodyweight
Alcohols, C16-18, ethoxylated (68439-49-6)	
LD50 oral rat	1260 mg/kg
ATE CA (oral)	1260 mg/kg bodyweight
Skin corrosion/irritation :	Causes skin irritation.
Serious eye damage/irritation	pH: 6 Causes serious eye irritation. pH: 6
Respiratory or skin sensitisation	Not classified.
Germ cell mutagenicity :	Not classified.
Carcinogenicity	Not classified.
Sulfonic acids, C14-16-alkane hydroxy and C	C14-16-alkene, sodium salts (68439-57-6)
NOAEL (chronic, oral, animal/male, 2 years)	≥ 195 mg/kg bodyweight Animal: rat, Animal sex: male
NOAEL (chronic, oral, animal/female, 2 years)	≥ 259 mg/kg bodyweight Animal: rat, Animal sex: female
Reproductive toxicity :	Not classified.
STOT-single exposure :	Not classified.
STOT-repeated exposure	Not classified.
Aspiration hazard	Not classified.
Glass Cleaning Tablets	
Viscosity, kinematic	Not applicable
Symptoms/effects after inhalation :	Not expected to be a primary route of exposure.
Symptoms/effects after skin contact	Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/effects after eye contact	Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and
	tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/effects after ingestion	May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Other information	Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information 12.1. Toxicity Ecology - general : May cause long-term adverse effects in the aquatic environment. Disodium carbonate (497-19-8) LC50 - Fish [1] 300 mg/l Test organisms (species): Lepomis macrochirus EC50 - Crustacea [1] 200 – 227 mg/l Test organisms (species): Ceriodaphnia sp. LC50 - Fish [2] 310 – 1220 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Disodium carbonate (497-19-8)		
EC50 - Crustacea [2]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.	
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6)		
LC50 - Fish [1]	4.2 mg/I Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	4.53 mg/l Test organisms (species): Ceriodaphnia sp.	
LC50 - Fish [2]	12.2 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])	
LOEC (chronic)	20 mg/l Test organisms (species): Daphnia magna Duration: '21 d'	
NOEC (chronic)	6.3 mg/I Test organisms (species): Daphnia magna Duration: '21 d'	
12.2. Persistence and degradability		
Glass Cleaning Tablets		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
Glass Cleaning Tablets		
Bioaccumulative potential	Not established.	
Disodium carbonate (497-19-8)		
BCF - Fish [1]	(no bioaccumulation)	
Sulfonic acids, C14-16-alkane hydroxy and	C14-16-alkene, sodium salts (68439-57-6)	
Partition coefficient n-octanol/water	-1.3 (at 20 °C (at pH 5.43)	
12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects		
Other information	: No other effects known.	
SECTION 13: Disposal considerations		
13.1. Disposal methods		
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	
SECTION 14: Transport information		
In accordance with DOT / TDG		
14.1. UN number		
Not regulated for transport		
14.2. UN proper shipping name		

14.2. Or proper shipping name		
Proper Shipping Name (DOT)	: Not applicable	
Proper Shipping Name (TDG)	: Not applicable	

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT)	: Not applicable
TDG Transport hazard class(es) (TDG)	: Not applicable
14.4. Packing group	
Packing group (DOT) Packing group (TDG)	: Not applicable : Not applicable
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
Special transport precautions	: Do not handle until all safety precautions have been read and understood.
14.7. Transport in bulk according to Annex	k II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1 Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories except for:			
Acid Blue 182	CAS-No. 12219-26-0		

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

According to the Hazard Communication Standard (C	FR29 1910.1200) HazCom 2012 and the Haz	ardous Products Regulations (HPR) WHMIS 2015
Revision date	: 12/18/2023	
Other information	: None.	
Prepared by	: Nexreg Compliance Inc. www.Nexreg.com	N E X R E G

Full text of H-statements	
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Full text of H-statements	
Skin Irrit. 2	Skin corrosion/irritation, Category 2

SDS HazCom 2012 - WHMIS 2015 (Nexreg) 2023

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.