

For Urea Blend

Samples Name: Urea Blend

Client Name: Danyang Rapid Aid Hot And Cold Therapy Products Co., Ltd.
Client Address: Glasses Industrial Park, Danfu Road, Danyang, Jiangsu, China





No.: SP19060340 Date: 2019-06-26 Page 2 of 9

Name: Urea Blend

Safety Data Sheet (SDS)

Complies with 91/155/EEC, 1907/2006 (REACH) and amendments, OSHA's Hazard Communication Standard, 29 CFR 1910.1200; and the requirements of the U.S. Department of Labor Occupational Safety & Health Administration.

Regulatory Status:

This preparation is not classified as dangerous according to U.S. OSHA 29 CFR 1910.1200; E.C. Directive 1999/45/EC; Canadian R.S. 1985, c. H-3; U.K. CHIP 2002 No. 1689; and/or U.N. GHS ST/SG/AC 10/30.

None of the components present in this preparation at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen.

SECTION 1: PRODUCT IDENTIFICATION

1.1 Product identifier:

Urea Blend

1.2 Recommended use and restrictions on use:

Recommended use:

Cold application for cold therapy

1.3 Supplier's details:

Manufacturer: Danyang Rapid Aid Hot And Cold Therapy Products Co.,Ltd Address: Glasses Industrial Park,Danfu Road,Danyang,Jiangsu,China Telephone:0511-88013011

SECTION 2: HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

The product is not classified as dangerous according to U.S. OSHA 29 CFR 1910.1200; E.C. Directive 1999/45/EC; Canadian R.S. 1985, c. H-3; U.K. CHIP 2002 No. 1689; and/or U.N. GHS ST/SG/AC 10/30. **GHS LABEL ELEMENTS**: The substance is classified and labeled according to the Globally Harmonized System (GHS).

HAZARD PICTOGRAMS & SIGNAL WORD

This product is not a hazardous article and need not be labelled

HAZARD-DETERMINING COMPONENTS OF LABELING:

None

HAZARD STATEMENTS:

None

PRECAUTIONARY STATEMENTS:

Prevention

None

Response

None

Storage

None

Disposal

None

CLASSIFICATION SYSTEM: NFPA DEFINITIONS: 0-LEAST, 1-SLIGHT, 2-MODERATE, 3-HIGH, 4-EXTREEM



No.: SP19060340 Date: 2019-06-26 Page 3 of 9

Name: Urea Blend

NFPA RATING DIAMOND (SCALE 0-4):

HEALTH=0 FIRE=0

REACTIVITY=0

HMIS-RATINGS (SCALE 0-4):

HEALTH	:	0
FIRE	:	0
REACTIVITY:		0

SECTION 3: COMPOSITION INFORMATION

There are no ingredients present on the urea blend mixture which, within the current knowledge and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

SECTION4: FIRST AID MEASURES

DESCRIPTION OFFIRST AID MEASURES

GENERAL INFORMATION: If medical attention is required. Show this safety data sheet (SDS) to the

doctor in attendance.

PRIMARY ROUTES OF ENTRY: Eye and skin contact; ingestion; inhalation.

AFTER INHALATION: If fumes or combustion products are inhaled remove from contaminated

area.Lay patient down.Keep warm and rested.

Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.

AFTER SKIN CONTACT: Immediately remove all contaminated clothes, including footwear.

Flush skin and hair with running water (and soap if available)

AFTER EYE CONTACT: Immediately hold eyelids apart and flush the eye continuously with

running water.

Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and

lower lids.

Continue flushing until advised to stop by the poisons Information Centre

or a doctor, or for at least 15 minutes.

Removal of contact lenses after an eye injury should only be undertaken

STC (Shanghai) Company Limited



No.: SP19060340 Date: 2019-06-26 Page 4 of 9
Name: Urea Blend

by skilled personnel.

AFTER SWALLOWING: Rinse mouth with plenty of water. Make victim drink plenty of water. Do not induce vomiting

MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

No information available

SECTION5: FIRE&EXPLOSIONHAZARDDATA

GENERAL INFORMATION: Non flammable liquid

FLASH POINT: No information available

AUTOIGNITION TEMPERATURE: No information available

EXTINGUISHING MEDIA: Dry chemical, carbon diovide, alcohol-resistant foam.

SPECIAL FIRE FIGHTING PROCEDURES: NONE

UNUSUAL FIRE AND EXPLOSION HAZARDS: Combustion of vapor and liquid may produce

carbon monoxide, carbon dioxide and other

hazardous gases.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, Nitrogen Oxide, Chloride

SECTION6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

- 1. Remove all sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges.
- 2. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment. Avoid breathing vapor sand contacting with skin and eyes.
- 3. Wear protective clothing, gloves, safety glasses and dust respirator.

SPILL AND LEAK PROCED URES:

- 1. Remove all sources of ignition. Uses park-proof tools and explosion-proof equipment.
- 2. Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 3. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.



No.: SP19060340 Date: 2019-06-26 Page 5 of 9

Name: Urea Blend

ENVIRONMENTAL PRECAUTIONS:

1. Prevent further leakage or spillage if safe to do so.

2. Do not let product enter drains

SECTION7: HANDLING & STORAGE

PRECAUTIONS FOR SAFE HANDLING & STORAGE:

Protective measures

Handling is performed in a well ventilated place.

Wear suitable protective equipment.

Avoid contact with skin and eyes. Avoid in halation of vapors or mist.

Measures to prevent fire

Keep away from heart/sparks/open flames/hot surfaces.

Take precautionary measures against static discharges.

Measures to prevent aerosol and dust generation

Not applicable

OTHERPRE CAUTIONS:

Wash hands and face after using of the substances

Replace the contaminated clothing immediately.

In addition to use mentioned in the first parts, unforeseen other specific end uses.

SECTION8: EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION: Use appropriative respirator if exposure limits are exceeded or if irritation

or other symptoms are experienced. Recommended Filter type: low boiling

organic solvent, Type AX, Brown, conforming to EN371.

EYE PROTECTION: Tightly fitting safety goggles (approved by EN166(EU) or NIOSH(US).

SKIN PROTECTION: Wear protective clothing.

ENGINEERING CONTROLS: Ensure adequate ventilation, especially in confined areas.

Ensure that eye wash stations and safety showers are close to the

workstation location.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: None



No.: SP19060340 Date: 2019-06-26 Page 6 of 9

Name: Urea Blend

SECTION9: PHYSICAL/CHEMICAL CHARACTERISTICS

pH: Not applicable

Boiling Point:

Freezing Point:

No information available
Vapor Density (AIR=1):

Evaporation Rate (Butyl Acetate=1):

No information available

Solubility in Water: Soluble in water

Appearance and Odor: Granules and liquid

SECTION10: STABILITY AND REACTIVITY

STABILITY: Stable under proper operation and storage conditions

CONDITIONS TO AVOID: Melts and decomposes when strongly heated

INCOMPATIBILITY (MATERIAL TO AVOID): Strong base, Strong acid etc.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Carbon monoxide, Nitrogen Oxide, Chloride

HAZARDOUS POLYMERIZATION: No polymerization

SECTION11: TOXICOLOGICAL INFORMATION

PRECAUTIONARY STATEMENTS: If medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.

POTENTIAL HEALTH EFFECTS:

INHALATION No information available

EYE Does not cause serious eye irritation

SKIN No information available INGESTION No information available TARGETORGANS No information available

PRIMARY ROUTES OF EXPOSURE Percutaneous . Inhalation

STC (Shanghai) Company Limited



No.: SP19060340 Date: 2019-06-26 Page 7 of 9

Name: Urea Blend

POTENTIAL EFFECTS OF CHRONIC EXPOSURE No information available.

IRRITATION/SENSITIZATION Based on available data, the classifaction criteria are not met.

TERATOGENICITY Based on available data, the classification criteria are not met.

MUTAGENICITY Based on available data, the classification criteria are not met.

REPRODUCTIVE TOXICITY Based on available data, the classification criteria are not met.

SECTION12: ECOLOGICALINFORMATION

ECOTOXICITY:BIODEGRADABILITY:
BIOACCUMULATION:
MOBILITY:
No information available.
No information available.
No information available.
No information available.

OTHER ADVERSE EFFECTS: Urea does not meet the criteria for PBT and vPvB

according to Regulation(EC)No 1907/2006,annex

XIII

SECTION13: DISPOSALCONSIDERATIONS

WASTE DISPOSAL METHOD: Before disposal should refer to there relevant national and local laws and regulation.

SECTION14: TRANSPORTINFORMATION

UN NUMBER

DOT, ADR, IMDG, IATA: Not applicable

UN PROPER SHIPPING NAME

DOT: Not applicable ADR: Not applicable

IMDG, IATA: Not applicable

TRANSPORT HAZARDCLASS(ES)

The product is not classified as dangerous according to DOT、ADR、IMDG、IATA

HAZARD LABEL: Not applicable DOT CLASS: Not applicable LABEL: Not applicable ADR CLASS: Not applicable

LABEL: Not applicable

IMDG, IATA CLASS: Not applicable

LABEL: Not applicable

PACKING GROUP: Not applicable

STC (Shanghai) Company Limited



Safety Data Sheet (SDS)

No.: SP19060340 Date: 2019-06-26 Page 8 of 9

Name: Urea Blend

PACKING INSTRUCTION: Not applicable SPECIAL PROVISIONS: Not applicable

IMDG LIMITED QUANTITY (LQ): Not applicable EXCEPTED QUANTITIES (EQ): Not applicable UN MODEL REGULATION: TDG (18th)

ORM-D: Not applicable

SECTION15: REGULATORYINFORMATION

US FEDERAL REGULATIONS:

TSCA (TOXIC SUBSTANCE CONTROL ACT): Not listed

CERCLA/SARA - 313 - EMISSION REPORTING: Not listed

CERCLA/SARA-HAZARDOUS SUBSTANCES AND THE REPORTABLE QUANTITIES: Not listed

302 EXTREMELY HAZARDOUS SUBSTANCES EPCRA RQS: Not listed 302 EXTREMELY HAZARDOUS SUBSTANCES TPQS: Not listed

US STATE REGULATIONS:

CALIFORNIA -8 CCR SECTION 339- DIRECTOR'S LIST OF HAZARDOUS

SUBSTANCES: Not listed

INTERNATIONAL REGULATIONS:

WATERHAZARDCLASS(GERMANY): Not listed

CANADA

DOMESTIC SUBSTANCES LIST (DSL): Not listed WHMIS – INGREDIENT DISCLOSURE LIST: Not listed

SECTION16: OTHER INFORMATION

Date of Preparation/Last Revision: 06/26/19

FURTHER INFORMATION: This SDS has been prepared in accordance with: 91/155/EEC, 1907/2006 (REACH) and amendments, OSHA's Hazard Communication Standard, 29 CFR 1910.1200; and the requirements of the U.S. Department of Labor Occupational Safety & Health Administration.



DISCLAIMER: The information provided in this Data Safety Sheet has been compiled, in good faith, from our experience and data presented in various technical publications. An SDS for a substance is not primarily intended for use by the general consumer, focusing instead on the hazards of working with the material in an occupational setting. It is believed to be accurate and represents the best information currently available. HOWEVER, STC (Shanghai) Company Limited MAKESNO WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER TYPE, EXPRESSED OR IMPLIED, WITH RESPECT TO PRODUCTS DESCRIBED ORDATA OR INFORMATION PROVIDED, AND WE ASSUME NO LIABILITY RESUL TING FROM THE USE OF SUCH PRODUCTS, DATA OR INFORMATION. Users should make their own investigations to determine the suitability of the information for their particular purposes, and the user assumes all risk arising from their use of the material. The user is required to comply with all laws and regulations relating to the purchase, use, storage and disposal of the material, and must be familiar with and follow generally accepted safe handling procedures. In no event shall STC (Shanghai) Company Limited be liable for any claims, losses, or damages of any individual or for lost profits or any special, indirect, incidental, consequential, or exemplary damages, howsoever arising, even if STC (Shanghai) Company Limited has been advised of the possibility of such damages. We reserve the right to update SDS sheets from time to time as new information becomes available. It is the responsibility of the user to verify that they have the latest revision available.

****** End of Test Report *******