

SAFETY DATA SHEET

1. Identification

1. Identification	
Product identifier	Vitrified Bonded Abrasives
Other means of identification	None.
Recommended use	Industrial use.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/	Distributor information
Manufacturer	CGW Camel Grinding Wheel Works Ltd.
Address	Kibbutz Sarid 3658900 Israel
Telephone number	+972-4-6507216
e-mail	sales@cgwheels.com
Contact person	Joseph O'Mera
Supplier	CGW Camel Grinding Wheels, Inc.
Address	7525 N Oak Park Ave. Niles, IL 60714 United States
Telephone number	800-447-3731
e-mail	sales@cgwcamel.com
Emergency telephone	800-447-3731
number	
2. Hazard(s) identification	
Physical hazards	Not classified.
Health hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None

nazaru symbol	
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

xtures		
Chemical name	CAS number	%
Aluminum oxide	1344-28-1	40 - 95
Crystallized silica	60676-86-0	5 - 25

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Skin contact	Move to fresh air. Call a physician if symptoms develop or persist. Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Avoid inhalation of dust and contact with skin and eyes. Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Sweep up or gather material and place in appropriate container for disposal. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handlingAvoid inhalation of dust and contact with skin and eyes. Observe good industrial hygiene practices.Conditions for safe storage,
including any incompatibilitiesStore in original tightly closed container. Store away from incompatible materials (see Section 10
of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Aluminum oxide (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
,		15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CFR 19	10.1000)		
Components	Туре	Value	
Crystallized silica (CAS 60676-86-0)	TWA	0.8 mg/m3	
00010000			

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Aluminum oxide (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	
Crystallized silica (CAS 60676-86-0)	TWA	6 mg/m3	
Biological limit values	No biological exposure limits noted f	for the ingredient(s).	
Appropriate engineering ontrols	Good general ventilation (typically 1 should be matched to conditions. If a or other engineering controls to main exposure limits have not been estab	applicable, use process enclos ntain airborne levels below reco lished, maintain airborne levels	ures, local exhaust ventilation ommended exposure limits. If
-	s, such as personal protective equipr		
Eye/face protection	Wear safety glasses with side shield	ls (or goggles).	
Skin protection			
Hand protection	Wear protective gloves. Suitable glo	ves can be recommended by t	he glove supplier.
Other	Normal work clothing (long sleeved	shirts and long pants) is recom	mended.
Respiratory protection	In case of insufficient ventilation, we	ar suitable respiratory equipme	ent.
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	
General hygiene onsiderations	Always observe good personal hygic and before eating, drinking, and/or s equipment to remove contaminants.		

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Wheel
Color	Various.
Odor	None.
Odor threshold	Not available.
рН	Not applicable.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Non flammable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not applicable.
Flammability limit - upper (%)	Not applicable.
Explosive limit - lower (%)	Not applicable.
Explosive limit - upper (%)	Not applicable.
Vapor pressure	Not applicable.
Vapor density	Not applicable.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not applicable.

Decomposition temperature	Not available.
Viscosity	Not applicable.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Mechanical irritation of skin.
Eye contact	Dust or powder may irritate eye tissue.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological effe	ects
Acute toxicity	Not expected to be acutely toxic.
Skin corrosion/irritation	Mechanical irritation of skin.
Serious eye damage/eye irritation	Dust or powder may irritate eye tissue.
Respiratory or skin sensitization	1
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
IARC Monographs. Overall	Evaluation of Carcinogenicity
Crystallized silica (CAS 6 NTP Report on Carcinogens	
Not listed.	
OSHA Specifically Regulate	
	d Substances (29 CFR 1910.1001-1050)
Not listed.	
Not listed. Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Not listed.	
Not listed. Reproductive toxicity Specific target organ toxicity -	This product is not expected to cause reproductive or developmental effects.
Not listed. Reproductive toxicity Specific target organ toxicity - single exposure Specific target organ toxicity -	This product is not expected to cause reproductive or developmental effects. Not classified.
Not listed. Reproductive toxicity Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure	This product is not expected to cause reproductive or developmental effects. Not classified. Not classified.
Not listed. Reproductive toxicity Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure Aspiration hazard	This product is not expected to cause reproductive or developmental effects. Not classified. Not classified. Not an aspiration hazard. Prolonged inhalation may be harmful.
Not listed. Reproductive toxicity Specific target organ toxicity - single exposure Specific target organ toxicity - repeated exposure Aspiration hazard Chronic effects	This product is not expected to cause reproductive or developmental effects. Not classified. Not classified. Not an aspiration hazard. Prolonged inhalation may be harmful.

Vitrified Bonded Abrasives

Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		

14. Transport information

13 Disposal considerations

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No	
	Reactivity Hazard - No	
SARA 302 Extremely hazardous substance		
Not listed.		

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Aluminum oxide	1344-28-1	40 - 95

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Aluminum oxide (CAS 1344-28-1) Crystallized silica (CAS 60676-86-0)

US. New Jersey Worker and Community Right-to-Know Act

Aluminum oxide (CAS 1344-28-1) Crystallized silica (CAS 60676-86-0)

US. Pennsylvania Worker and Community Right-to-Know Law

Aluminum oxide (CAS 1344-28-1) Crystallized silica (CAS 60676-86-0)

US. Rhode Island RTK

Aluminum oxide (CAS 1344-28-1)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 12-August-2015 Revision date -Version # 01 HMIS® ratings Health: 1 Flammability: 0 Physical hazard: 0 NFPA ratings

Disclaimer

CGW Camel Grinding Wheels cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.