\$ ТМ

SILE

01

and the

Honeywell

A BAS

CoreShield

25-09133

MAKING TOUGH CHOICES, INTO EASY DECISIONS

Enhanced cut resistance, comfort, ease of selection, cost effectiveness... All in one glove. With Honeywell CoreShield™, simplified hand protection is at your fingertips.

OUR FOCUS IS GIVING WORKERS THE RIGHT **CUT PROTECTION**

Choosing the right cut-protective gloves is a key challenge for safety professionals who simply can't afford to get it wrong. Now that new standards EN388:2016 ISO 13997 in Europe and ANSI-105 2016 in North America have simplified classifications for cut resistant levels, knowing the protection level is better understood. However, what has not changed, is knowing if you are choosing the right level of cut-protective gloves and the need to balance cut protection with:

- Dexterity
- Comfort
- Wellbeing
- Grip
- Cost

With vast experience and comprehensive expertise in hand protection, Honeywell is at the forefront of innovation in personal protective equipment. Researching, testing and utilizing new materials and new technology will enable Honeywell to develop solutions which provide optimum cut protection – without compromising customer needs.

CoreShield[™], the complete range of cut protective gloves from Honeywell, is designed to simplify glove selection for each application to be in line with the new standards. The innovative materials, technology and construction of the CoreShield[™] range will help you ensure your workers are not only protected but also comfortable and productive.

The durability of the gloves in the CoreShield[™] range will help you meet the demands of the regulations and the needs of your workers, all within your budget.



THE CORESHIELD[™] **CUT-PROTECTIVE** RANGE

HAVING THE RIGHT GLOVES FOR THE RIGHT APPLICATION IS **CRUCIAL TO PROVIDING YOUR** WORKERS WITH THE OPTIMUM **AVAILABLE PROTECTION.**

Thanks to its high-performance fiber, the Honeywell CoreShield™ range offers complete cut protection from Level A/A1 to F/A9, in a choice of gauges and coatings. The extensive range and advanced design and manufacture make CoreShield™ gloves:

EASY TO CHOOSE

The color-coded marking system makes it easy for you to choose the gloves you need for your application, according to the new EN/ANSI standards. Based on your working environment and industry, you may choose by level of cut protection, grip, dexterity and fit.

EASY TO USE

CoreShield[™] gloves are one of the lightest-weight cut-protective gloves on the market. This enables greater dexterity for wearers. A specially designed microfoam elastic coating provides outstanding oil- and dry-grip performance.

EASY TO WEAR The light weight of CoreShield™ gloves helps to prevent hand fatique for workers who need to wear gloves all day long. CoreShield[™] coatings offer 360° breathability through an open cell structure - enhancing comfort, for longer wear.

by OEKO-TEX[®].





Other cut-protective gloves usually incorporate glass fiber, which can pose a skin allergy risk for some wearers. Honeywell CoreShield™ gloves have replaced glass fiber with softer, skin-friendly yarns that reduce the allergy risk to wearers. Consequently, all CoreShield[™] gloves are certified STANDARD 100

COST-EFFECTIVE TO BUY

The CoreShield[™] High Performance Coating with abrasion enhancement technology doubles the durability of our gloves. In addition, the washability of the glove material means that even after 5 washing cycles, there are no significant changes in performance or size. Together, these factors mean that CoreShield[™] gloves have a longer life, which in turn translates into less frequent replacements and reduced cost of ownership. Purchasing of CoreShield[™] gloves is an investment.

A HANDFUL OF FEATURES

A NUMBER OF ADDITIONAL KEY FEATURES ENHANCE THE USABILITY, WEARABILITY AND DURABILITY OF **THE CORESHIELD™ RANGE.**

THUMB REINFORCEMENT

• The thumb plays a crucial role in grip and dexterity, and is often subject to greater wear than other areas of the glove. All CoreShield[™] gloves have a reinforced thumb for greater wear resistance and extended product life.

TOUCHSCREEN **RESISTIVE AND** CAPACITIVE

• CoreShield[™] gloves are compatible with resistive touchscreen technology. In-house testing has shown that users can operate touch panels of industrial machines and smartphone touchscreens without taking their gloves off.

SILICON FREE

• No silicon is added at any point in the CoreShield™ gloves manufacturing process, which means they are safe to wear in painting applications.

HAND AND WRIST PROTECTION

A longer cuff ensures wrist protection.




WHAT MAKES A CORESHIELD™ GLOVE?

A HONEYWELL CORESHIELD[™] GLOVE MAKES CUT PROTECTION SIMPLE. BUT WHAT MAKES A HONEYWELL CORESHIELD™ GLOVE?

O1 Color coding and EN/ANSI cut protection level marking



03 CoreShield[™] High Performance Coating




MICRO-FOAM MOISTURE AND AIR ARE VENTED THROUGH THE GLOVES FOR ENHANCED 360° BREATHABILITY





02 CoreShield[™] Engineered Yarn



WATER AND OIL PROOF COATING

SPECIAL ABRASION **TECHNOLOGY FOR X2** DURABILITY OF COATING

EXCELLENT DEXTERITY

THE CUT-PROTECTIVE GLOVE FOR EVERY JOB

With gauge ranging from 10-18gg, cut levels from A/A1 - F/A9, and a choice of three different coatings, the Honeywell CoreShield[™] range offers a solution for a wide range of applications across most industries, including:

- Manufacturing
- Automotive
- Metal stamping
- Glass handling
- Construction
- Logistics

CHOOSE YOUR HONEYWELL CORESHIELDTM

21-1515BCoreShield, 15 gauge nylon black liner, nitrile micro-foam black coating, A1/AA1A1621-1518BCoreShield, 18 gauge nylon black liner, nitrile micro-foam black coating, A1/AA1AA1A121-1518BCoreShield, 18 gauge nylon black liner, nitrile super thin black coating, A1/AA1A1A1A121-1618BCoreShield, 13 gauge HPPE black liner, nitrile super thin black coating, A2/BA1A1A1A122-7513BCoreShield, 13 gauge HPPE black liner, nitrile micro-foam black coating, A2/BA2A2A222-7513BCoreShield, 13 gauge HPPE white liner, nitrile micro-foam grey coating, A2/BA2A2A222-7513BCoreShield, 13 gauge HPPE black liner, smooth nitrile black coating, A2/BA2A2A222-7513BCoreShield, 13 gauge HPPE prey liner, nitrile micro-foam black coating, A2/BA2A2A222-7513BCoreShield, 13 gauge HPPE prey liner, nitrile micro-foam black coating, A2/BA2A3A222-7513BCoreShield, 13 gauge HPPE prey liner, nitrile micro-foam black coating, A2/BA3A3A323-0513BCoreShield, 13 gauge HPPE/basalt black liner, smooth nitrile black coating, A2/BA3CA3A323-0513BCoreShield, 13 gauge HPPE/basalt black liner, smooth nitrile black coating, A3/CA3A3A323-0513BCoreShield, 13 gauge HPPE/basalt black liner, smooth nitrile black coating, A3/CA3CA3A323-0513BCoreShield, 13 gauge	
21-15188A1/AA1A1621-18188CoreShield, 18 gauge nylon black liner, nitrile super thin black coating, A1/AA1A1A122-75138CoreShield, 13 gauge HPPE black liner, nitrile micro-foam black coating, A2/BA2B4X42BA2622-7513WCoreShield, 13 gauge HPPE white liner, nitrile micro-foam grey coating, A2/BA2B4X42BA2622-7513WCoreShield, 13 gauge HPPE black liner, nitrile micro-foam grey coating, A2/BA2B4X42BA2622-7513BCoreShield, 13 gauge HPPE black liner, smooth nitrile black coating, A2/BA2B4X42BA2622-7518BCoreShield, 13 gauge HPPE grey liner, nitrile micro-foam black coating, A2/BA2B4X31BA2623-0513BCoreShield, 13 gauge HPPE/basalt black liner, nitrile micro-foam black coating, A3/CA3CA4X43CA3623-0913BCoreShield, 13 gauge HPPE/basalt black liner, nitrile black coating, A3/CA3CA4X43CA3623-7518BCoreShield, 13 gauge HPPE/basalt black liner, nitrile black coating, A3/CA3CA4X43CA36	
A1/AA1	
22-7513BA2/BA2/BA2/BA2/BA2/BA2/BA2/BA2/B22-7513WCoreShield, 13 gauge HPPE white liner, nitrile micro-foam grey coating, A2/BA2B4X42BA2622-7913BCoreShield, 13 gauge HPPE black liner, smooth nitrile black coating, A2/BA2B4X42BA2622-7518BCoreShield, 18 gauge HPPE grey liner, nitrile micro-foam black coating, A2/BA2B4X31BA2623-0513BCoreShield, 13 gauge HPPE/basalt black liner, nitrile micro-foam black coating, A3/CA3C4X43CA3623-0913BCoreShield, 13 gauge HPPE/basalt black liner, nitrile black coating, A3/CA3C4X43CA3623-0913BCoreShield, 18 gauge HPPE/basalt black liner, nitrile black coating, A3/CA3C4X42CA36	
22-79138A2/BA2/BA2622-79138CoreShield, 13 gauge HPPE black liner, smooth nitrile black coating, A2/BA2B4X42BA2622-75188CoreShield, 18 gauge HPPE grey liner, nitrile micro-foam black coating, A2/BA2B4X31BA2623-05138CoreShield, 13 gauge HPPE/basalt black liner, nitrile micro-foam black coating, A3/CA3C623-09138CoreShield, 13 gauge HPPE/basalt black liner, smooth nitrile black coating, A3/CA3C623-09138CoreShield, 18 gauge HPPE/basalt black liner, nitrile micro-foam black A3/CA3C6	
22-7518BA2/B <t< th=""><th></th></t<>	
A2/B A3/C	
23-0913B CoreShield, 13 gauge HPPE/basalt black liner, smooth nitrile black coating, A3/C A3 6 23-0913B CoreShield, 13 gauge HPPE/basalt black liner, nitrile micro-foam black A3 6 23-7518B CoreShield, 18 gauge HPPE/basalt black liner, nitrile micro-foam black A3 6	
A3/C A3 6	X1XXXX
	X1XXXX
	X1XXXX
24-0513BCoreShield, 13 gauge HPPE/basalt black liner, nitrile micro-foam black coating, A4/DA46	
24-0513W CoreShield, 13 gauge HPPE/basalt white liner, nitrile micro-foam grey coating, A4/D A4 6	
24-0913BCoreShield, 13 gauge, HPPE/basalt black liner, smooth nitrile black coating, A4/DA4A46	
24-9518BCoreShield, 18 gauge, HPPE/steel black liner, nitrile micro-foam black coating, A4/DA46	
25-0513B CoreShield, 13 gauge HPPE/stainless steel black liner, nitrile micro-foam A5 E 4X42E A5 6	
25-0913B CoreShield, 13 gauge HPPE/stainless steel black liner, smooth nitrile A5 E 4X42E A5 6	
26-0513W CoreShield, 13 gauge HPPE/alloy/basalt white liner, nitrile micro-foam grey coating, A6/F 4X44F A6 6	
26-0513B CoreShield, 13 gauge HPPE/alloy/basalt black liner, nitrile micro-foam A6 6 black coating, A6/F A6 6	
26-0913B CoreShield, 13 gauge HPPE/alloy/basalt black liner, smooth nitrile black coating, A6/F A6 6	
27-0513B CoreShield, 13 gauge HPPE/alloy black liner, nitrile micro-foam coating, A7/F 4X44F A7 6	
28-0910B CoreShield, 10 gauge HPPE/Kevlar/alloy black liner, smooth nitrile black coating, A8/F A8 6	
29-0910B CoreShield, 10 gauge HPPE/Kevlar/alloy black liner, smooth nitrile black coating, A9/F A9 6	

Packaging: Gloves are packed in a plastic bag by inner pack of 10 pairs, 10 inner packs per case (100 pairs)



Cut protection made simple

For More Information

www.industrialsafety.honeywell.com

Honeywell Industrial Safety

9680 Old Bailes Rd, Fort Mill, SC 29707, USA USA 800.430.5490 Canada 888.212.7233

GS_GLOVES_CoreShield_Brochure_EN_US_HCU001_06/19 © 2019 Honeywell International Inc.



THE FUTURE