Inerkules

Waste Disposal Simplified with

Crushers

Aerosol
Oil Filter
Paint Can

Providing environmentally-safe disposal, Herkules Crushers offer a simple and efficient way to reduce waste volume.

Residual oil, paint and other liquids are trapped and contained for easy disposal or recycling.

100% air-powered, Herkules Crushers provide a safe, hydraulic fluid-free crushing method.

Extremely durable and built to last, Herkules Crushers are built with pride in Walled Lake, Michigan.



Reduce, Recycle and Reap the Benefits

Reduce Can Waste with Herkules HCRs

In twenty seconds or less, Herkules Paint Can Crushers reduce used can waste size up to 90%.

HCR1

The Herkules HCR1 crushes up to 4 one gallon cans - or 7 one quart cans, or a single five gallon can - each cycle, and offers auto-eject for crushed cans, simplifying waste collection.

HCR2

Mount to any bench, the Herkule HCR2 Can Crusher crushes up to 4 one gallon cans—or 7 one quart cans, or a single five gallon can-each cycle.

HCR3

Compact and easy to place in the shop, the HCR3 Paint Can Crusher crushes a single one gallon can or several quart cans in a twenty-second cycle. A custom stand is

also available.









Drain and Crush **Aerosol Cans** with the **Herkules AFC2**



Powerful and efficient, the Herkules AFC2 Aerosol Can Crusher drains and crushes two aerosol cans in a minute or less. Providing a dual door/latch interlock safety system and a fume extractor to trap contaminants and odors, this crusher captures and drains residual fluids for quick and easy disposal.

Recycle up to 98% of used oil, and reduce filter size up to 80%, with Herkules Oil Filter Crushers

Herkules Oil Filter Crushers drain and crush used oil filters, while capturing oil waste quickly and efficiently. Equipped with an interlock safety system, these crushers are 100% air operated, use up to 120 psi standard shop air, and require little maintenance.

OFC4 Classic

A workhorse with nearly 18 tons of crushing force, the OFC4 Classic Oil Filter Crusher crushes up to 4 regular filters, or a single tall (up to 20") heavy duty filter, each cycle.





OFC5





OFC7

A workhorse with nearly 18 tons of crushing force. the OFC7 Oil Filter Crusher crushes up to 4 regular filters, or a single tall heavy duty filter, each cycle.



OFC6 benchtop

OFC6

Herkules OFC6 Oil Filter Crusher crushes a single filter each cycle. Available in both bench top and stand alone units, this crusher safely reduces the size of filter waste and collects used oil in just seconds.





Crushers Comparison Chart

Filter/Regulator	Table Stand/ Auto Eject	Locked Chamber	Extractor - Fume or Oil	FEATURES	size	External	Weight	Air input	Crushing strength (tons)	Crushing cycle time		Capacity	Capabilities/	Item crushed	
Yes	n/a	Yes	Yes		55"H x 27.5"D	27.5"W x	550 lbs	90-120 psi	15	25-60 seconds			2 cans	Aerosol cans	AFC2
Yes	Yes	Yes	No		91"H x 29"D	33"W x	350 lbs	90-120 psi	3.75	20 seconds	1 five gallon can	4 - one gallon or	7- one quart,	Paint cans	HCR1
Yes	n/a	Yes	No		43.25"H x 19"D	16.5"W x	295 lbs	90-120 psi	3.75	20 seconds	five gallon can	- one gallon, or 1	7 - one quart, 4	Paint cans	HCR2
Yes	n/a	Yes	Yes		x 13.5"D	18"W x 25.25"H	75 lbs	90-120 psi	2.1	20 seconds	(- one gallon can	3 one quart or 1	Paint cans	HCR3
Yes	n/a	Yes	Yes		27.75"D	32"W x 67"H x	640 lbs.	120 psi	17.5	35-55 seconds	filter (uo to 25" tall)	or 1 tall	up to 4 regular	Oil filter	0FC4 Classic
Yes	n/a	Yes	Yes		28"D	28"W x 77.5"H x	720 lbs	90-120 psi	17.5	55-90 seconds	duty filter (up to 30" tall)	or 1 heavy	up to 4 regular	Oil filters	0FC5
Yes	Stand or bench models available	Yes	Yes		60"H (w stand) 17"W x 30"H (bench mount)	17"W (round) x	150 lbs (bench mount)	90-120 psi	5.5	45 seconds	8" tall	up to	1 filter	Oil filter	0FC6
Yes	n/a	Yes	Yes		28"D	28"W x 61"H x	575 lbs	90-120 psi	17.5	35-55 seconds	(up to 12"tall)	or 1 tall filter	up to 4 regular	Oil filters	0FC7

^{*} all measures are approximate

Herkules Equipment Corporation 2760 Ridgeway Court Walled Lake, Michigan 48390 phone (248)960-7100 fax (248) 960-7109