

# CORE PRODUCTS



# TABLE OF CONTENTS

## EYEWEAR

FRAMELESS	05
HALF FRAME	09
FULL FRAME	13
SEALED	15
GOGGLES	19
OVER THE SPEC	21
READERS	23

## GLOVES

SYNTHETIC	27
NITRILE	29
LATEX	32
POLYURETHANE	33
INSULATED DIPPED	34
LEATHER PALMS	35
LEATHER DRIVERS	36
ARC FLASH	38
INSULATED DRIVERS	38

## WORK WEAR

COOLING	41
VESTS	41
SHIRTS	44
LIGHTWEIGHT SERIES	45
HOODIES	46
JACKETS	47
PARKAS	48

## HEADGEAR

RIDGELINE®	51
RIDGELINE XR7®	53
SL SERIES	54
FACESHIELDS/ ADAPTERS	55
SUNSHADES	56
BUMP CAP	56

## WELDING

HELMETS	58
---------	----

## HEARING

EARPLUGS	60
ELECTRONIC EARMUFF	60
CAP MOUNTED EARMUFF	60
PASSIVE EARMUFFS	61

## CHARTS

EYEWEAR	62
GLOVES	69
HEADGEAR	79
WORK WEAR	80

# PYRAMEX HAS WHAT YOU NEED


## VIEW OUR FULL LINE ON THE PYRAMEX WEBSITE

Stay up to date on all things Pyramex by using our website as a tool. There, you will be able to browse our full product lines – including new and trending items. In addition, you can view images, product sheets, catalogs, videos, etc.



## CORE PRODUCTS

Check out the online core products collection on our website. From the landing page you'll be able to download a PDF version of this brochure, product sheets, and comparison charts.



## CUSTOMIZE YOUR PPE

### PAD PRINTING | SCREEN PRINTING | HEAT TRANSFER

Our in-house print team can add your logo or your customer's logo on Pyramex eyewear, earmuffs, hard hats, and work wear. To start the order process all we need is your vectored artwork. Contact your sales representative for further details.

Products available for customization are indicated by the custom logo icon.



## WE'RE HERE TO HELP

PHONE 800-736-8673 | FAX 877-PYRAMEX

Pyramex.com

305 Keough Drive, Piperton, TN 38017

Live Web Chat available at Pyramex.com

help@pyramex.com

@PyramexSafety

# EYEWEAR



FRAMELESS	05
HALF FRAME	09
FULL FRAME	13
SEALED	15
GOGGLES	19
OVER THE SPEC	21
READERS	23

## STANDARDS

ANSI/ISEA Z87.1-2020 + High Impact

CAN/CSA Z94.3-20

ASTM F2879-19 Standard Specification for Eye Protective Devices for Airsoft

MIL-PRF-32432 High Velocity Impact Standards



AIRSOFT



BALLISTIC



PASSES  
**D3**  
DROPLET AND  
SPLASH TEST



PASSES  
**D4**  
DUST TEST

### D3: Droplet and Splash Test


A **D3** rating offers protection against splashes and droplets on the glasses, from molten items to liquids and chemicals.

### D4: Dust Test

A **D4** rating gives an additional layer of protection against dust particles and blocks any debris from reaching the inside of the goggle.

## FULL EYEWEAR COLLECTION AND COMPARISON CHARTS

Visit the Core Products landing page to download comparison charts and view the entirety of the Pyramex eyewear line.



## FEATURE ICONS

The icons below and in the following pages represent some of the most requested features for safety eyewear.



### H2MAX Anti-fog Coating

The innovative technology behind H2MAX creates a high performing, superior anti-fog coating that is durable enough to withstand repeated cleanings without losing adhesion. Not only does this premium treatment ensure maximum clarity in the most extreme temperature and humid conditions, it also adds a layer to the lens that is abrasion and chemical resistant. The H2MAX anti-fog coating is made from non-hazardous environmental components. Coating resists scratching from steel wool up to 100g weight. H2MAX passes ANSI/ISEA Z87.1-2020 standards, CE/UKCA standards for N and K, and Canadian certification CAN/CSA Z94.3-20.

### H2X Anti-fog Coating

H2X provides anti-fog, anti-scratch, and anti-static protection. Even after repeated cleanings, H2X will continue to be effective because the coating is bonded to the lenses. The H2X anti-fog coating is made from non-hazardous environmental components. Coating is waterproof with excellent scratch resistance. H2X passes ANSI/ISEA Z87.1-2020 standards and Canadian certification CAN/CSA Z94.3-20.

Ztek®

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



Lens and Temples | 18 Variations

- S2510S Clear
- S2510ST Clear H2X AF
- S2514S 1.5 IR Filter
- S2515S Coffee
- S2520S Gray
- S2520ST Gray H2X AF
- S2530S Amber
- S2540S Orange
- S2550SF\* 5.0 IR Filter
- S2560S Infinity Blue
- S2560SF\* 3.0 IR Filter
- S2560ST Infinity Blue H2X AF
- S2565S Purple Haze
- S2570S Silver Mirror
- S2575S Blue Mirror
- S2580S I/O Mirror
- S2590S Gold Mirror
- S25ARCS Arc – 1.5 IR Filter

Mini Ztek

Lens and Temples | 8 Variations

- S2510SN Clear
- S2510SNT Clear H2X AF
- S2517SN Pink
- S2520SN Gray
- S2530SN Amber
- S2560SN Infinity Blue
- S2575SN Blue Mirror
- S2580SN I/O Mirror

**i** Mini Ztek is about 6% smaller than the Ztek.

S2514S is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.

S25ARCS is great for use under the welding helmet – allowing welder to see work clearly without suffering "welder's flash burn" from surrounding welders.

Reader options on page 24.



ZTEK



MINI ZTEK

\*Not approved for CAN/CSA Z94.3-20

Provoq®

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



Lens and Temples | 11 Variations

- S7210S Clear
- S7210ST Clear AF
- S7220S Gray
- S7220ST Gray AF
- S7230S Amber
- S7255S\* Multi-Color Mirror
- S7260S Infinity Blue
- S7270S Silver Mirror
- S7275S Blue Mirror
- S7280S I/O Mirror
- S7280ST\* I/O Mirror AF




\*Not approved for CAN/CSA Z94.3-20



SBGR96

Endeavor® Plus

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



Black and Gray Temples | 5 Variations

- SBG9610S Clear
- SBG9610ST Clear H2X AF
- SBG9620S Gray
- SBG9620ST Gray H2X AF
- SBG9680S I/O Mirror

Black and Green Temples | 4 Variations

- SBGR9610S Clear
- SBGR9610ST Clear H2X AF
- SBGR9620S Gray
- SBGR9680S I/O Mirror

Black and Gray Temples with Foam Padding | 2 Variations

- SBG9610STMFP Clear H2MAX AF
- SBG9620STMFP Gray H2MAX AF

Black and Green Temples with Foam Padding | 2 Variations

- SBGR9610STMFP Clear H2MAX AF
- SBGR9620STMFP Gray H2MAX AF



SBG with Foam Padding



SBG96



SBP96

Black and Pink Temples | 2 Variations

- SBP9610S Clear
- SBP9610ST Clear H2X AF



INTRUDER

S41 with Foam Padding

## Intruder®

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



### Lens and Temples | 13 Variations

- S4110S Clear
- S4110ST Clear AF
- S4110STM Clear **H2MAX AF**
- S4110SUC\* Uncoated Clear
- S4120S Gray
- S4120ST Gray AF
- S4120STM Gray **H2MAX AF**
- S4130S Amber
- S4160S Infinity Blue
- S4170S Silver Mirror
- S4175S\* Blue Mirror
- S4180S I/O Mirror
- S4180ST\* I/O Mirror AF

### Foam Padded Frame | 3 Variations

- S4110STFP\* Clear AF
- S4120STFP\* Gray AF
- S4180STFP\* I/O Mirror AF

### Black Temples | 1 Variation

- SB4110S Clear

### Blue Temples | 1 Variation

- SN4110S Clear

### Red Temples | 1 Variation

- SR4110S Clear

**i** Reader options on page 24.



MINI INTRUDER

\*Not approved for CAN/CSA Z94.3-20

## Mini Intruder

ANSI/ISEA Z87.1-2020

### Lens and Temples | 2 Variations

- S4110SN Clear
- S4120SN Gray

**i** Mini Intruder is about 8% smaller than the Intruder.

\*Not approved for CAN/CSA Z94.3-20

## Intruder and Mini Intruder Multi-Colors

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20

### Multi-Color Temples | 2 Variations

- S4110SMP Clear (Intruder)
- S4110SNMP\* Clear (Mini Intruder)

**i** Sold in dozen quantity only. Comes with six assorted colors: red, blue, green, purple, orange and black.



## Atoka®

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



### Lens and Temples | 6 Variations

- S9110S Clear
- S9110ST Clear **H2X AF**
- S9120S Gray
- S9120ST Gray **H2X AF**
- S9180S I/O Mirror
- S9180ST I/O Mirror AF



## Legacy®

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



### Lens and Temples | 8 Variations

- S10910S Clear
- S10910STM Clear **H2MAX AF**
- S10920S Gray
- S10920STM Gray **H2MAX AF**
- S10925S Light Gray
- S10925STM Light Gray **H2MAX AF**
- S10950SF 5.0 IR Filter
- S10960SF 3.0 IR Filter



## Alair®

ANSI/ISEA Z87.1-2020




### Lens and Temples | 7 Variations

- S3210S Clear
- S3210ST Clear **H2X AF**
- S3220S Gray
- S3260S Infinity Blue
- S3270S Silver Mirror
- S3275S Blue Mirror
- S3280S I/O Mirror



## Neshoba™

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



### Black Temples | 7 Variations


- S9710S Clear
- S9710ST Clear **H2X AF**
- S9710STM Clear **H2MAX AF**
- S9720S Gray
- S9720ST Gray **H2X AF**
- S9720STM Gray **H2MAX AF**
- S9780S I/O Mirror



SB 18

**Venture II®**

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20 | MIL-PRF-32432



**Black Frame | 15 Variations**

- |           |                     |          |               |
|-----------|---------------------|----------|---------------|
| SB1810S   | Clear               | SB1870S  | Silver Mirror |
| SB1810ST  | Clear <b>H2X AF</b> | SB1875S  | Blue Mirror   |
| SB1820S   | Gray                | SB1880S  | I/O Mirror    |
| SB1820ST  | Gray <b>H2X AF</b>  | SB1880ST | I/O Mirror AF |
| SB1830S   | Amber               | SB1890S  | Gold Mirror   |
| SB1835S   | Sun Block Bronze    |          |               |
| SB1840S   | Orange              |          |               |
| SB1850SF* | 5.0 IR Filter       |          |               |
| SB1860S   | Infinity Blue       |          |               |
| SB1860SF* | 3.0 IR Filter       |          |               |

**Metallic Blue Frame | 3 Variations**

- |           |            |
|-----------|------------|
| SMB1810S* | Clear      |
| SMB1820S* | Gray       |
| SMB1880S* | I/O Mirror |



SMB 18



SSG 18

**Slate Gray Frame | 1 Variation**

- |           |       |
|-----------|-------|
| SSG1810S* | Clear |
|-----------|-------|

**i** Reader options on page 24.

\*Not approved for CAN/CSA Z94.3-20

**Venture 3®**

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20 |  
MIL-PRF-32432



**Black Frame | 9 Variations**

- |           |                       |         |               |
|-----------|-----------------------|---------|---------------|
| SB5710D   | Clear                 | SB5730D | Amber         |
| SB5710DT  | Clear <b>H2X AF</b>   | SB5760D | Infinity Blue |
| SB5710DTM | Clear <b>H2MAX AF</b> | SB5770D | Silver Mirror |
| SB5720D   | Gray                  | SB5780D | I/O Mirror    |
| SB5720DT  | Gray <b>H2X AF</b>    |         |               |



**Sitecore™**

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



**Black and Gray Frame | 6 Variations**

- |             |                       |
|-------------|-----------------------|
| SBG10110D   | Clear                 |
| SBG10110DTM | Clear <b>H2MAX AF</b> |
| SBG10120D   | Gray                  |
| SBG10120DTM | Gray <b>H2MAX AF</b>  |
| SBG10130D   | Amber                 |
| SBG10180D   | I/O Mirror            |

**Gray and Lime Frame | 5 Variations**

- |             |                       |
|-------------|-----------------------|
| SGL10110D   | Clear                 |
| SGL10110DTM | Clear <b>H2MAX AF</b> |
| SGL10120D   | Gray                  |
| SGL10120DTM | Gray <b>H2MAX AF</b>  |
| SGL10180D   | I/O Mirror            |




SGL 101



SBG 101

**Rendezvous®**

ANSI/ISEA Z87.1-2020 |  
MIL-PRF-32432



**Black Frame | 6 Variations**

- |          |                     |
|----------|---------------------|
| SB2810S  | Clear               |
| SB2810ST | Clear <b>H2X AF</b> |
| SB2820S  | Gray                |
| SB2820ST | Gray <b>H2X AF</b>  |
| SB2830S  | Amber               |
| SB2880S  | I/O Mirror          |

**Crystal Gray Frame | 1 Variation**

- |           |                     |
|-----------|---------------------|
| SCG2810ST | Clear <b>H2X AF</b> |
|-----------|---------------------|



SCG 28




SB 28



SBL86

**Ever-Lite®**

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



**Black Frame | 19 Variations**

- |           |                            |           |                               |
|-----------|----------------------------|-----------|-------------------------------|
| SB8610D   | Clear                      | SB8650SF* | 5.0 IR Filter                 |
| SB8610DT  | Clear <b>H2X AF</b>        | SB8660D   | Infinity Blue                 |
| SB8610DTM | Clear <b>H2MAX AF</b>      | SB8660DT  | Infinity Blue <b>H2X AF</b>   |
| SB8620D   | Gray                       | SB8660DTM | Infinity Blue <b>H2MAX AF</b> |
| SB8620DT  | Gray <b>H2X AF</b>         | SB8660SF* | 3.0 IR Filter                 |
| SB8620DTM | Gray <b>H2MAX AF</b>       | SB8665D   | Ice Blue Mirror               |
| SB8623D   | Dark Gray                  | SB8680D   | I/O Mirror                    |
| SB8623DT  | Dark Gray <b>H2X AF</b>    | SB8680DT  | I/O Mirror AF                 |
| SB8624D   | Photochromic               |           |                               |
| SB8625DTM | Light Gray <b>H2MAX AF</b> |           |                               |
| SB8630D   | Amber                      |           |                               |

**Black and Lime Frame | 2 Variations**

- |            |                       |
|------------|-----------------------|
| SBL8610DTM | Clear <b>H2MAX AF</b> |
| SBL8620DTM | Gray <b>H2MAX AF</b>  |

**i** Reader options on page 23.

Photochromic lenses change from clear to dark after exposure to direct UV light. Lenses change from dark to clear after removal from UV light.



SB86

\*Not approved for CAN/CSA Z94.3-20

**PMXTREME®**

ANSI/ISEA Z87.1-2020



**Black Frame with Cord | 11 Variations**

- |           |                    |
|-----------|--------------------|
| SB6310SP  | Clear              |
| SB6310STP | Clear AF           |
| SB6320SP  | Gray               |
| SB6320STP | Gray AF            |
| SB6330SP  | Amber              |
| SB6345SP  | Ice Orange Mirror  |
| SB6360SP  | Infinity Blue      |
| SB6370SP  | Silver Mirror      |
| SB6375SP  | Blue Mirror        |
| SB6376SP  | Smoke Green Mirror |
| SB6380SP  | I/O Mirror         |

**Camo Frame with Cord | 2 Variations**

- |            |                     |
|------------|---------------------|
| SCM6318STP | Sandstone Bronze AF |
| SCM6320STP | Gray AF             |

**Red Frame with Cord | 1 Variation**

- |          |      |
|----------|------|
| SR6320SP | Gray |
|----------|------|



SCM63


SR63



SB63

**Integra®**

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



**Black Frame | 5 Variations**

- |          |               |
|----------|---------------|
| SB410S   | Clear         |
| SB410ST  | Clear AF      |
| SB420S   | Gray          |
| SB450SF* | 5.0 IR Filter |
| SB460SF* | 3.0 IR Filter |

**Blue Frame | 1 Variation**

- |        |       |
|--------|-------|
| SN410S | Clear |
|--------|-------|

**Red Frame | 1 Variation**

- |        |       |
|--------|-------|
| SR410S | Clear |
|--------|-------|

**Red, White and Blue Frame | 1 Variation**

- |          |       |
|----------|-------|
| SNWR410S | Clear |
|----------|-------|



SB4



SN4


SR4

SNWR4

\*Not approved for CAN/CSA Z94.3-20

### Goliath®

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



#### Black Frame | 9 Variations

- SB5610D Clear
- SB5610DT Clear H2X AF
- SB5620D Gray
- SB5620DT Gray H2X AF
- SB5621D Polarized Gray
- SB5645D Ice Orange Mirror
- SB5665D Ice Blue Mirror
- SB5670D Silver Mirror
- SB5680D I/O Mirror

#### White Frame | 2 Variations

- SW5655D Sky Red Mirror
- SW5665D Ice Blue Mirror



SW56



SB56

### Zone II®

ANSI/ISEA Z87.1-2020



#### Matte Black Frame | 4 Variations

- SB3310E Clear
- SB3320E Gray
- SB3365E Ice Blue Mirror
- SB3380E I/O Mirror

#### Silver Frame | 5 Variations

- SS3320E Gray
- SS3345E Ice Orange Mirror
- SS3365E Ice Blue Mirror
- SS3370E Silver Mirror
- SS3375E Blue Mirror



SS33



SB33

### Exeter®

ANSI/ISEA Z87.1-2020



#### Glossy Black Frame | 5 Variations

- SB5110DT Clear H2X AF
- SB5120DT Gray H2X AF
- SB5133DT Shooter's Amber H2X AF
- SB5155DT Sky Red Mirror AF
- SB5175DT Blue Mirror AF



### Velar™

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



#### Black Frame | 3 Variations

- SB10410D Clear
- SB10420D Gray
- SB10465D Ice Blue Mirror

#### White and Blue Frame | 1 Variation

- SWBL10465D Ice Blue Mirror

#### White and Red Frame | 1 Variation

- SWR10455D Sky Red Mirror

#### Black and Red Frame | 1 Variation

- SBRF10445D Ice Orange Mirror



SB104



SWBL104



SWR104



SBRF104



### Fyxate™

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



**Black Temples | 5 Variations**

- SB10210S Clear
- SB10210ST Clear H2X AF
- SB10220S Gray
- SB10220ST Gray H2X AF
- SB10280S I/O Mirror

**Lime Temples with Foam Padding | 2 Variations**

- SBL10210STMFP Clear H2MAX AF
- SBL10220STMFP Gray H2MAX AF

**Black Temples with Foam Padding | 3 Variations**

- SB10210STMFP Clear H2MAX AF
- SB10220STMFP Gray H2MAX AF
- SB10225STMFP Light Gray H2MAX AF



SBL102 with Foam Padding



SB102

SB102 with Foam Padding

### Proximity®

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



**Black Frame | 6 Variations**

- SB9310ST Clear H2X AF
- SB9310STM Clear H2MAX AF
- SB9323ST Dark Gray H2X AF
- SB9323STM Dark Gray H2MAX AF
- SB9330ST Amber H2X AF
- SB9380ST I/O Mirror AF

**Black and Lime Frame | 2 Variations**

- SBL9310STM Clear H2MAX AF
- SBL9323STM Dark Gray H2MAX AF



SB93



SBL93




I-FORCE

I-FORCE SLIM

### I-Force®

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20 | MIL-PRF-32432 | ASTM F2879-19



**Black Frame | 4 Variations**

- SB7010SDT Clear Dual Pane H2X AF
- SB7020SDT Gray Dual Pane H2X AF
- SB7030SDT Amber Dual Pane H2X AF
- SB7080SDT I/O Mirror Dual Pane AF

### I-Force® Slim

**Black Frame | 3 Variations**


- SB7010SDNT Clear Dual Pane H2X AF
- SB7020SDNT Gray Dual Pane H2X AF
- SB7080SDNT I/O Mirror Dual Pane AF

**i** I-Force Slim is about 6% smaller than the I-Force.

Interchangeable temple and strap.

## Crossover™

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20 |  
MIL-PRF-32432



### Black and Gray Frame | 3 Variations

- SBG10610DT Clear **H2X** AF
- SBG10620DT Gray **H2X** AF
- SBG10680DT I/O Mirror AF

### Gray and Lime Frame | 1 Variation

- SGL10610DT Clear **H2X** AF




SBG106

SGL106

## Isotope™

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20 |  
MIL-PRF-32432



### Black Frame | 3 Variations


- GB9410STM Clear **H2MAX** AF
- GB9420STM Gray **H2MAX** AF
- GB9430STM Amber **H2MAX** AF



**i** Interchangeable temple and strap.

## Highlander™ Plus

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20 |  
MIL-PRF-32432




### Black and Gray Frame | 5 Variations

- SBG5010DT Clear **H2X** AF
- SBG5020DT Gray **H2X** AF
- SBG5030DT Amber **H2X** AF
- SBG5055DT Sky Red Mirror AF
- SBG5080DT I/O Mirror AF



## V2G®

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20 |  
MIL-PRF-32432



### Black Frame | 8 Variations

- GB1810ST Clear **H2X** AF
- GB1810STM Clear **H2MAX** AF
- GB1820ST Gray **H2X** AF
- GB1820STM Gray **H2MAX** AF
- GB1830ST Amber **H2X** AF
- GB1850SFT\* 5.0 IR Filter **H2X** AF
- GB1860SFT\* 3.0 IR Filter **H2X** AF
- GB1880ST I/O Mirror AF



\*Not approved for CAN/CSA Z94.3-20

**i** Interchangeable temple and strap.

## V2G-Plus®

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20 |  
MIL-PRF-32432



### Black Body with Strap | 2 Variations

- GB6410SDT Clear Dual Pane **H2X** AF
- GB6420SDT Gray Dual Pane **H2X** AF



## Torser™

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



### Black Body | 2 Variations

- GB10010TM Clear **H2MAX** AF
- GB10025TM Light Gray **H2MAX** AF





## Capstone® Shield

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20 | MIL-PRF-32432



### Lens and Shield | 5 Variations

- GG504TSHIELD Clear **H2X** AF
- GG504DTSHIELD Clear Dual Pane **H2X** AF
- GG504TSHIELDIR3\* 3.0 IR Filter **H2X** AF
- GG504TSHIELDIR5\* 5.0 IR Filter **H2X** AF
- GG524TSHIELD Gray **H2X** AF



## Capstone Face Shield and Strap

CAPSHIELD

Ratcheting shield includes strap and clips allowing the user to add to either of the Capstone 500 Series goggles // Sold as a replacement shield for GG504TSHIELD and GG504DTSHIELD



## Disposable Capstone Shield Visors

VPACK6

Pack of 6 clear disposable, tear-off visors, suitable for high dust or muddy working environments

**i** Only the goggles for GG504TSHIELDIR3 and GG504TSHIELDIR5 contain IR dye. Due to the nature of the vented holes, the shield is green tinted and does not contain the IR resin.

\*Not approved for CAN/CSA Z94.3-20



## G201 Series

ANSI/ISEA Z87.1-2020



ANTI-FOG OPTIONS

Clear Body with Black Strap | 2 Variations

- G201 Clear
- G201T Clear AF




## G205 Series

ANSI/ISEA Z87.1-2020



DROPLET AND SPLASH TEST



ANTI-FOG OPTIONS

Clear Body with Black Strap | 2 Variations

- G205 Clear
- G205T Clear AF



## G3 Series

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



DIELECTRIC



DROPLET AND SPLASH TEST



DUST TEST



H2X OPTIONS



OVER THE SPEC

Tinted Body with Black Strap | 2 Variations

- G304\* Clear
- G304T Clear **H2X** AF

Tinted Body with Neoprene Strap | 1 Variation

- G304TN\* Clear **H2X** AF

\*Not approved for CAN/CSA Z94.3-20



## G4 Series

ANSI/ISEA Z87.1-2020 | CAN/CSA Z94.3-20



FOAM PADDED



DROPLET AND SPLASH TEST



DUST TEST



H2X OPTIONS



OVER THE SPEC

Tinted Body with Black Strap | 1 Variation

- G404T Clear **H2X** AF



## G7 Series

ANSI/ISEA Z87.1-2020



DROPLET AND SPLASH TEST



DUST TEST



ANTI-FOG OPTIONS


Gray Body with Black Strap | 2 Variations

- G704T Clear AF
- G724T Gray AF



### Cappture™

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



#### Lens and Temples | 3 Variations

- S9910ST Clear **H2X** AF
- S9910STM Clear **H2MAX** AF
- S9920ST Gray **H2X** AF

### Cappture Pro

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



#### Rubber Gasket with Strap | 2 Variations

- GG9910TM Clear **H2MAX** AF
- GG9920TM Gray **H2MAX** AF



### Cappture Plus

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



#### Rubber Gasket with Temples | 2 Variations

- S9910STM RG Clear **H2MAX** AF
- S9920STM RG Gray **H2MAX** AF



### OTS®

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



#### Black Temples | 6 Variations

- S3510SJ Clear
- S3510STJ Clear **H2X** AF
- S3520SJ Gray
- S3550SFJ\* 5.0 IR Filter
- S3560SFJ\* 3.0 IR Filter
- S3580SJ I/O Mirror



OTS

### OTS® XL

#### Black Temples | 3 Variations

- S7510SJ Clear
- S7510STJ Clear **H2X** AF
- S7520SJ Gray

**i** OTS XL is about 9% larger than the OTS. OTS fits over frames up to 137mm x 44mm. OTS XL fits over frames up to 151mm x 49mm.



OTS XL

\*Not approved for CAN/CSA Z94.3-20

### Solo®

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



#### Lens and Temples | 3 Variations

- S510S Clear
- S510SJ\* Clear Jumbo
- S520S\* Gray

**i** Only S510SJ is designed to be used over prescription spectacles.



\*Not approved for CAN/CSA Z94.3-20

### Emerge®

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



#### Black Frame | 3 Variations

- SB7910DRX Clear Rx
- SB7910D15\* Clear +1.5 Mag
- SB7910D20\* Clear +2.0 Mag

#### Translucent Gray Frame | 3 Variations

- SG7910DRX Clear Rx
- SG7910D15\* Clear +1.5 Mag
- SG7910D20\* Clear +2.0 Mag

\*Not approved for CAN/CSA Z94.3-20



**i** Rx options accommodate a +3 to -3 diopter lens and must be presented to your optometrist in order to be fitted with prescription lenses.

Ask your Pyramex Rep about Emerge IR options.

### Emerge® Plus

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



#### Translucent Gray Frame | 7 Variations

- SG9810R15 Clear +1.5 Mag
- SG9810R20 Clear +2.0 Mag
- SG9810R25 Clear +2.5 Mag
- SG9810R30 Clear +3.0 Mag
- SG9820R15\* Gray +1.5 Mag
- SG9820R20\* Gray +2.0 Mag
- SG9820R25\* Gray +2.5 Mag

\*Not approved for CAN/CSA Z94.3-20



### Ever-Lite® Readers

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20




#### Black Frame | 7 Variations

- SB8610R15TM Clear **H2MAX AF** +1.5 Mag
- SB8610R20TM Clear **H2MAX AF** +2.0 Mag
- SB8610R25TM Clear **H2MAX AF** +2.5 Mag
- SB8610R30TM Clear **H2MAX AF** +3.0 Mag
- SB8620R15TM Gray **H2MAX AF** +1.5 Mag
- SB8620R20TM Gray **H2MAX AF** +2.0 Mag
- SB8620R25TM Gray **H2MAX AF** +2.5 Mag



### Venture II® Readers

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



#### Black Frame | 18 Variations

- SB1810R10 Clear +1.0 Mag
- SB1810R15 Clear +1.5 Mag
- SB1810R15T Clear **H2X AF** +1.5 Mag
- SB1810R20 Clear +2.0 Mag
- SB1810R20T Clear **H2X AF** +2.0 Mag
- SB1810R25 Clear +2.5 Mag
- SB1810R25T Clear **H2X AF** +2.5 Mag
- SB1810R30 Clear +3.0 Mag
- SB1820R15 Gray +1.5 Mag
- SB1820R20 Gray +2.0 Mag
- SB1820R25 Gray +2.5 Mag
- SB1820R30 Gray +3.0 Mag

- SB1830R15\* Amber +1.5 Mag
- SB1830R20\* Amber +2.0 Mag
- SB1830R25\* Amber +2.5 Mag
- SB1880R15 I/O Mirror +1.5 Mag
- SB1880R20 I/O Mirror +2.0 Mag
- SB1880R25 I/O Mirror +2.5 Mag

\*Not approved for CAN/CSA Z94.3-20



### Ztek® Readers

ANSI/ISEA Z87.1-2020 |  
CAN/CSA Z94.3-20



#### Lens and Temples | 8 Variations

- S2510R15 Clear +1.5 Mag
- S2510R20 Clear +2.0 Mag
- S2510R25 Clear +2.5 Mag
- S2514R15\* 1.5 IR Filter +1.5 Mag
- S2514R20\* 1.5 IR Filter +2.0 Mag
- S2520R15\* Gray +1.5 Mag
- S2520R20\* Gray +2.0 Mag
- S2520R25\* Gray +2.5 Mag

**i** S2514R is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.

\*Not approved for CAN/CSA Z94.3-20



### Intruder® Readers

ANSI/ISEA Z87.1-2020




#### Lens and Temples | 3 Variations

- S4110R15 Clear +1.5 Mag
- S4110R20 Clear +2.0 Mag
- S4110R25 Clear +2.5 Mag




# GLOVES



SYNTHETIC	27
NITRILE	29
LATEX	32
POLYURETHANE	33
INSULATED DIPPED	34
LEATHER PALMS	35
LEATHER DRIVERS	36
ARC FLASH	38
INSULATED DRIVERS	38

## STANDARDS

- ANSI/ISEA 105
- ANSI/ISEA 138-2019
- NFPA 70E ARC FLASH
- CE/UKCA EN 388:2016
- CE/UKCA EN 407:2020
- CE/UKCA EN ISO 21420:2020



## GAUGE

The gauge of the liner is the number of rows of stitches per inch. A glove with a higher gauge will fit better and have more dexterity + tactile feel.



## FULL GLOVE COLLECTION AND COMPARISON CHARTS

Visit the Core Products landing page to download comparison charts and view the entirety of the Pyramex glove line.



## FEATURE ICONS

The icons below and in the following pages represent some of the most requested features for safety gloves.



## LEATHER TYPES



## GRAIN VS SPLIT LEATHER


### Grain Leather

Taken from the outer layer of the hide + Provides products that are soft, smooth, and flexible.

### Split Leather

Leather that remains after the outer layer has been removed + Coarser, more resistant to abrasion, and repels water more effectively.

## DIPPED COATING TYPES



## SYNTHETIC | GENERAL PURPOSE



### GL104HT

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 4  
EN388 – ABRASION 4 | CUT 1 | TEAR 2 | PUNCTURE 1 |  
CUT TDM-100 X



GL104HT S – 3XL



### GL105HT

ANSI/ISEA 105 – ABRASION 3 | PUNCTURE 2  
EN388 – ABRASION 3 | CUT 1 | TEAR 2 | PUNCTURE 1 |  
CUT TDM-100 X



GL105HT S – 3XL



### GL105CHT

ANSI/ISEA 105 – CUT A6 | ABRASION 3 | PUNCTURE 4  
EN388 – ABRASION 2 | CUT X | TEAR 2 | PUNCTURE 2 | CUT  
TDM-100 F



GL105CHT S – 3XL

## SYNTHETIC | HIGH PERFORMANCE



### GL805HT

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 3  
ANSI/ISEA 138 – IMPACT 2  
EN388 – ABRASION 4 | CUT 1 | TEAR 1 | PUNCTURE 2 |  
CUT TDM-100 X | IMPACT P



GL805HT S – 3XL



### GL806HT

ANSI/ISEA 105 – CUT A2 | ABRASION 4 | PUNCTURE 4  
ANSI/ISEA 138 – IMPACT 2  
EN388 – ABRASION 2 | CUT 1 | TEAR 4 | PUNCTURE 3 |  
CUT TDM-100 X | IMPACT P



GL806HT S – 3XL



### GL807CHT

ANSI/ISEA 105 – CUT A5 | ABRASION 6 | PUNCTURE 4  
ANSI/ISEA 138 – IMPACT 2  
EN388 – ABRASION 3 | CUT X | TEAR 2 | PUNCTURE 2 |  
CUT TDM-100 F | IMPACT P



GL807CHT S – 3XL

## SYNTHETIC | IMPACT UTILITY



### GL202HT

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 5  
ANSI/ISEA 138 – IMPACT 1  
EN388 – ABRASION 4 | CUT 1 | TEAR 1 | PUNCTURE 2 |  
CUT TDM-100 X | IMPACT P



GL202HT S – 3XL



### GL204HT

ANSI/ISEA 105 – ABRASION 4 | PUNCTURE 5  
EN388 – ABRASION 3 | CUT 1 | TEAR 2 | PUNCTURE 1 |  
CUT TDM-100 X | IMPACT P




GL204HT S – 3XL



### GL204CHT

ANSI/ISEA 105 – CUT A6 | ABRASION 4 | PUNCTURE 4  
EN388 – ABRASION 3 | CUT X | TEAR 2 | PUNCTURE 1 |  
CUT TDM-100 F | IMPACT P



GL204CHT S – 3XL



## CORDED COTTON PALM



### GL808

ANSI/ISEA 105 – CUT A2 | ABRASION 2 | PUNCTURE 2  
ANSI/ISEA 138 – IMPACT 2  
EN388 – ABRASION 1 | CUT 2 | TEAR 4 | PUNCTURE 1 |  
CUT TDM-100 B | IMPACT P



GL808 S – 2XL



### GL803C

ANSI/ISEA 105 – CUT A2 | ABRASION 1 | PUNCTURE 3  
ANSI/ISEA 138 – IMPACT 1  
EN388 – ABRASION 1 | CUT 1 | TEAR 2 | PUNCTURE 1 |  
CUT TDM-100 B | IMPACT P



GL803C S – 3XL



**GL614**

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 2  
EN388 – ABRASION 4 | CUT 1 | TEAR 2 | PUNCTURE 1 |  
CUT TDM-100 X



GL614 S – 2XL



**GL615**

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 2  
EN388 – ABRASION 4 | CUT 1 | TEAR 3 | PUNCTURE 1 |  
CUT TDM-100 X



GL615 S – 2XL  
GL615HT S – 2XL (Hangtag)



**GL601**

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 2  
EN388 – ABRASION 4 | CUT 1 | TEAR 3 | PUNCTURE 1 |  
CUT TDM-100 X



GL601 XS – 3XL  
GL601DP XS – 3XL (Dotted Palm)



**GL618**

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 2  
EN388 – ABRASION 4 | CUT 1 | TEAR 2 | PUNCTURE 1 |  
CUT TDM-100 X



GL618 S – 2XL



**GL619C**

ANSI/ISEA 105 – CUT A2 | ABRASION 6 | PUNCTURE 3  
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |  
CUT TDM-100 B



GL619C S – 2XL



**GL606DPC**

ANSI/ISEA 105 – CUT A3 | ABRASION 6 | PUNCTURE 4  
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |  
CUT TDM-100 C



GL606DPC XS – 3XL  
GL606DPCVP S – 2XL (Vend Pack)



**GL605**

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 2  
EN388 – ABRASION 4 | CUT 1 | TEAR 3 | PUNCTURE 1 |  
CUT TDM-100 X



GL605 S – 2XL



**GL617**

ANSI/ISEA 105 – ABRASION 6 | PUNCTURE 2  
EN388 – ABRASION 4 | CUT 1 | TEAR 3 | PUNCTURE 1 |  
CUT TDM-100 X



GL617 S – 2XL  
GL617DP S – 2XL (Dotted Palm)



**GL620C**

ANSI/ISEA 105 – CUT A4 | ABRASION 6 | PUNCTURE 3  
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |  
CUT TDM-100 D



GL620C S – 2XL



**GL613C**

ANSI/ISEA 105 – CUT A4 | ABRASION 5 | PUNCTURE 3  
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |  
CUT TDM-100 D



GL613C XS – 3XL



**GL621C**

ANSI/ISEA 105 – CUT A5 | ABRASION 6 | PUNCTURE 3  
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |  
CUT TDM-100 E



GL621C S – 2XL





NITRILE | 13G IMPACT



GL609C

ANSI/ISEA 105 – CUT A6 | ABRASION 6 | PUNCTURE 4  
ANSI/ISEA 138 – IMPACT 2  
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 |  
CUT TDM-100 E | IMPACT P



GL609C S-3XL



GL610C

ANSI/ISEA 105 – CUT A6 | ABRASION 6 | PUNCTURE 4  
ANSI/ISEA 138 – IMPACT 2  
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 |  
CUT TDM-100 E | IMPACT P



GL610C S-3XL

NITRILE | 13G



GL603C5

ANSI/ISEA 105 – CUT A4 | ABRASION 4 | PUNCTURE 4  
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 | CUT  
TDM-100 D



GL603C5 XS-3XL  
GL603C5HT XS-3XL (Hangtag)  
GL603DPC5 S-2XL (Dotted Palm)



GL604C5

ANSI/ISEA 105 – CUT A4 | ABRASION 6 | PUNCTURE 3  
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 | CUT  
TDM-100 D



GL604C5 S-2XL



GL608C

ANSI/ISEA 105 – CUT A6 | ABRASION 4 | PUNCTURE 4  
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 | CUT  
TDM-100 F



GL608C S-2XL

LATEX



GL503

ANSI/ISEA 105 – ABRASION 4 | PUNCTURE 3  
EN388 – ABRASION 3 | CUT 2 | TEAR 4 | PUNCTURE 2 |  
CUT TDM-100 X  
EN407 – CONTACT HEAT 2



GL503 S-2XL  
GL503HT S-2XL (Hangtag)  
GL503VP S-XL (Vend Pack)



GL502

ANSI/ISEA 105 – ABRASION 4 | PUNCTURE 2  
EN388 – ABRASION 3 | CUT 1 | TEAR 3 | PUNCTURE 1 |  
CUT TDM-100 X



GL502 S-2XL

## POLYURETHANE | NON-CUT



GOOD

### GL406

ANSI/ISEA 105 – ABRASION 3 | PUNCTURE 2  
EN388 – ABRASION 3 | CUT 1 | TEAR 3 | PUNCTURE 1 |  
CUT TDM-100 X



GL406 XS – 3XL



BETTER

### GL401

ANSI/ISEA 105 – ABRASION 3 | PUNCTURE 2  
EN388 – ABRASION 4 | CUT 1 | TEAR 3 | PUNCTURE 1 |  
CUT TDM-100 X



GL401 XS – 3XL  
GL401HT XS – 3XL (Hangtag)  
GL401VP S – 2XL (Vend Pack)

## POLYURETHANE | CUT



GOOD

### GL403C

ANSI/ISEA 105 – CUT A2 | ABRASION 2 | PUNCTURE 3  
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 2 |  
CUT TDM-100 B



GL403C S – 2XL




BETTER

### GL402C5

ANSI/ISEA 105 – CUT A4 | ABRASION 3 | PUNCTURE 4  
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 |  
CUT TDM-100 D



GL402C5 XS – 3XL  
GL402C5HT XS – 3XL (Hangtag)



## INSULATED DIPPED



CUT A2

### GL901

ANSI/ISEA 105 – CUT A2 | ABRASION 3 | PUNCTURE 2  
EN388 – ABRASION 3 | CUT 2 | TEAR 3 | PUNCTURE 1 | CUT  
TDM-100 X  
EN511 – CONTACT COLD 2



GL901 S – 2XL



CUT A2

### GL505

ANSI/ISEA 105 – CUT A2 | ABRASION 4 | PUNCTURE 2  
EN388 – ABRASION 3 | CUT 2 | TEAR 3 | PUNCTURE 1 | CUT  
TDM-100 X  
EN511 – CONTACT COLD 2



GL505 S – 2XL



CUT A4

### GL507C

ANSI/ISEA 105 – CUT A4 | ABRASION 5 | PUNCTURE 4  
EN388 – ABRASION 3 | CUT X | TEAR 4 | PUNCTURE 3 | CUT  
TDM-100 D  
EN511 – CONTACT COLD 2



GL507C S – 2XL



CUT A6

IMPACT 2

### GL612C

ANSI/ISEA 105 – CUT A6 | ABRASION 6 | PUNCTURE 4  
ANSI/ISEA 138 – IMPACT 2  
EN388 – ABRASION 4 | CUT X | TEAR 4 | PUNCTURE 3 | CUT  
TDM-100 E | IMPACT P  
EN511 – CONTACT COLD 2



GL612C S – 2XL

**i** The GL901 has a 15G outer liner and 7G inner liner. The GL505, GL507C, and GL612C have a 13G outer liner and 10G inner liner.

## SELECT SPLIT LEATHER PALMS



### GL1001W



GL1001W L-2XL  
GL1001WHT L-XL (Hangtag)

### GL1006W



GL1006W L-XL

### GL1002W



GL1002W L-XL  
GL1002WHT L-XL (Hangtag)

## VALUE GRAIN DRIVERS



### GL2001K



GL2001K S-2XL  
GL2001KHT S-2XL (Hangtag)

### GL2002K



GL2002K S-2XL

### GL3011K



GL3011K S-2XL


## PREMIUM SPLIT LEATHER PALM

## PREMIUM GRAIN LEATHER PALMS



### GL1010W

ANSI/ISEA 105 - CUT A2 | ABRASION 6 | PUNCTURE 5  
ANSI/ISEA 105 - CONTACT HEAT 2



GL1010W S-2XL

Kevlar® stitching



### GL1003W



GL1003W L-XL



### GL1004W



GL1004W L-XL

## SELECT GRAIN DRIVERS

## PREMIUM SPLIT/GRAIN DRIVERS



### GL2004K



GL2004K S-3XL

### GL2003K



GL2003K S-2XL

### GL2005K



GL2005K S-2XL

### GL2008K



GL2008K S-3XL

Kevlar® stitching




PREMIUM GRAIN ARC FLASH DRIVERS



GL3009CKB

ANSI/ISEA 105-2016 – CUT A4 | ABRASION 3 | PUNCTURE 3  
 ANSI/ISEA 138 – IMPACT 2  
 EN388 – ABRASION 2 | CUT X | TEAR 2 | PUNCTURE 1 |  
 CUT TDM-100 E | IMPACT P  
 NFPA 70E ARC FLASH – CATEGORY 4 (47 cal/cm²)



GL3009CKB S – 2XL Kevlar® stitching



GL3010CK

ANSI/ISEA 105-2016 – CUT A5 | ABRASION 4 | PUNCTURE 4  
 EN388 – ABRASION 1 | CUT X | TEAR 3 | PUNCTURE 2 |  
 CUT TDM-100 E  
 NFPA 70E ARC FLASH – CATEGORY 4 (41 cal/cm²)




GL3010CK S – 2XL

PREMIUM GRAIN CUT DRIVERS



GL3006CKB

ANSI/ISEA 105-2016 – CUT A5 | ABRASION 4 | PUNCTURE 4  
 ANSI/ISEA 138 – IMPACT 2  
 EN388 – ABRASION 3 | CUT X | TEAR 4 | PUNCTURE 2 |  
 CUT TDM-100 F | IMPACT P




GL3006CKB S – 2XL



GL3007CK

ANSI/ISEA 105-2016 – CUT A6 | ABRASION 4 | PUNCTURE 4  
 EN388 – ABRASION 2 | CUT X | TEAR 4 | PUNCTURE 2 | CUT  
 TDM-100 F



GL3007CK S – 2XL



GL3004CW

ANSI/ISEA 105-2016 – CUT A7 | ABRASION 4 | PUNCTURE 5  
 ANSI/ISEA 138 – IMPACT 1  
 EN388 – ABRASION 3 | CUT X | TEAR 4 | PUNCTURE 3 |  
 CUT TDM-100 F | IMPACT P



GL3004CW S – 3XL

INSULATED DRIVERS



GL3006CKFB


ANSI/ISEA 105-2016 – CUT A5 | ABRASION 4 | PUNCTURE 4  
 ANSI/ISEA 138 – IMPACT 2



GL3006CKFB S – 2XL




GL2006K



GL2006K S – 2XL




GL4003K



GL4003K S – 2XL

# WORK WEAR



COOLING	41
VESTS	41
SHIRTS	44
LIGHTWEIGHT SERIES	45
HOODIES	46
JACKETS	47
PARKAS	48

## STANDARDS

ANSI/ISEA 107-2020  
 AATCC 127 Waterproof Standard  
 CAN/CSA Z96-15

## BACKGROUND OPTIONS

The main difference between the colors comes when taking the complexity of the wearer's background into consideration. High-visibility lime is often perceived as brighter, making it ideal for urban environments where it stands out against concrete or other gray locations. On the other hand, high-visibility orange is commonly used for road work. It mimics the same orange used in recognizable traffic cones and road construction signs. It also stands out among the green in heavy foliage areas, making it perfect for hunters or outdoor enthusiasts. Black reflective work wear is intended for off-road use only, often indoors or in more controlled environments. An advantage it has over lime and orange is that the black fabric hides dirt, oil, and grease.

## SINGLE VS. CONTRASTING TAPE


Reflective tape is used on high-visibility garments to help with their overall visibility. Its purpose is to reflect light, adding greater conspicuity to any garment. The more tape that exists against the fluorescent background, the more the garment will stand out. Contrasting tape allows for a high-visibility garment to stand out even more against a complex background by being an additional element likely to grab our attention.

## UPF RATED

Ultraviolet Protection Factor is the rating system used for apparel. UPF gauges a fabric's effectiveness against Ultraviolet A (UVA) and Ultraviolet B (UVB) light. For example, a material with a UPF rating between 40 - 50+ will reduce your skin's UV radiation exposure by 97.5% to 98% in areas where the fabric covers the skin.

## FEATURE ICONS


The icons below and in the following pages represent some of the most requested features for hi-vis work wear.



## FULL WORK WEAR COLLECTION AND COMPARISON CHARTS

Visit the Core Products landing page to download comparison charts and view the entirety of the Pyramex work wear line.





### Cooling Towels

Dimensions: 26" x 17"

- C140 Orange
- C160 Blue



C1 Series

Dimensions: 26" x 8.5"

- C260 Blue



C2 Series

### CNB12PK Series Cooling Bandanas

- CNB12PKB Blue Paisley
- CNB12PKFLG American Flag
- CNB12PKR Red Paisley
- CNB12PKRB Royal Blue



### RV12 Series

NON-RATED

MESH MATERIAL  
 HOOK & LOOP  
 CUSTOM LOGO  

POCKETS	
1 OUT	0 IN

- RV1227 S-M, L-XL, 2XL-3XL, 4XL-5XL
- RV1235 S-M, L-XL, 2XL-3XL, 4XL-5XL
- RV1265 S-M, L-XL, 2XL-3XL, 4XL-5XL
- RV1270 S-M, L-XL, 2XL-3XL, 4XL-5XL



### RCZ21 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2  
CAN/CSA Z96-15 (R20) CLASS 2 LEVEL 2

MESH MATERIAL  
 ZIPPER CLOSURE  
 CUSTOM LOGO  

POCKETS	
1 OUT	1 IN

- RCZ2110 M-5XL
- RCZ2120 M-5XL



### RVZ21 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2

MESH MATERIAL  
 ZIPPER CLOSURE  
 CUSTOM LOGO  

POCKETS	
1 OUT	1 IN

- RVZ2110 S-5XL
- RVZ2120 S-5XL



### RVHL29 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2

SOLID MATERIAL  
 HOOK & LOOP  
 CUSTOM LOGO  

POCKETS	
0 OUT	0 IN

- RVHL2910 S-3XL
- RVHL2920 S-3XL



### RVZ22 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2

MESH MATERIAL  
 ZIPPER CLOSURE  
 CUSTOM LOGO  

POCKETS	
1 OUT	1 IN

- RVZ2210 S-5XL
- RVZ2220 S-5XL



### RVZ23 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2

MESH MATERIAL  
 ZIPPER CLOSURE  
 CUSTOM LOGO  

POCKETS	
4 OUT	2 IN

- RVZ2310 S-5XL
- RVZ2320 S-5XL



### RVZ24 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2

SOLID & MESH MATERIAL  
 ZIPPER CLOSURE  
 CUSTOM LOGO  

POCKETS	
4 OUT	2 IN

- RVZ2410 S-5XL
- RVZ2420 S-5XL



### RVZ24CP Series

ANSI/ISEA 107-2020 TYPE R CLASS 2

SOLID & MESH MATERIAL  
 ZIPPER CLOSURE  
 CUSTOM LOGO  

POCKETS	
4 OUT	2 IN

- RVZ2410CP S-5XL
- RVZ2411CP S-5XL (TYPE O CLASS 1)
- RVZ2420CP S-5XL
- RVZ2427CP S-5XL (NON-RATED)
- RVZ2435CP S-5XL (NON-RATED)
- RVZ2465CP S-5XL (NON-RATED)



### RVZ46B Series

ANSI/ISEA 107-2020 TYPE R CLASS 2


MESH MATERIAL  
 ZIPPER CLOSURE  
 CUSTOM LOGO  

POCKETS	
5 OUT	2 IN

- RVZ4610B S-5XL



FITTED




NON-FITTED



## RVZF61 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2



RVZF6110 S-2XL



VIEW OUR  
WOMEN'S PPE  
COLLECTION

**i** Size small does not have a black bottom.




TABLET POCKET

## SHIRTS



## RCLTS31 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3  
CAN/CSA Z96-15 (R20) CLASS 2 LEVEL 2



RCLTS3110 M-5XL  
RCLTS3120 M-5XL  
RCLTS3111 S-5XL (TYPE 0 CLASS 1)  
(CLASS 1 LEVEL 2)



## RLTS31 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3



RLTS3110 S-5XL

**i** Available in non-striped version -  
RLTS3110NS (M-5XL) NON-RATED



## RLTS31B Series

ANSI/ISEA 107-2020 TYPE R CLASS 3




RLTS3110B S-5XL

RLTS3120B S-5XL



## RVZ31 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3




RVZ3110 S-5XL

RVZ3120 S-5XL



## RVZ36 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3



RVZ3610 S-5XL

RVZ3620 S-5XL



## RVZ37B Series

ANSI/ISEA 107-2020 TYPE R CLASS 3




RVZ3710B S-5XL



## RTS21 Series

ANSI/ISEA 107-2020 TYPE R CLASS 2



RTS2110 S-5XL


RTS2120 S-5XL

**i** Available in non-striped version -  
RTS2110NS (M-5XL) NON-RATED



## RTS21B Series

ANSI/ISEA 107-2020 TYPE R CLASS 2



RTS2110B S-4XL/5XL

RTS2120B S-4XL/5XL



**RLP1 Series**

ANSI/ISEA 107-2020 TYPE R CLASS 3

SOLID MATERIAL  
 UPF 50+  
 CUSTOM LOGO  

POCKETS	
1 OUT	0 IN

- RLP110 S-5XL



**RLP1NS Series**

NON-RATED

SOLID MATERIAL  
 UPF 50+  
 CUSTOM LOGO  

POCKETS	
1 OUT	0 IN

- RLP110NS S-5XL



**RLPH1 Series**

ANSI/ISEA 107-2020 TYPE R CLASS 3

SOLID MATERIAL  
 UPF 50+  
 CUSTOM LOGO  

POCKETS	
1 OUT	0 IN

- RLP110 S-5XL
- RLP120 S-5XL



**RLPH1NS Series**

NON-RATED

SOLID MATERIAL  
 UPF 50+  
 CUSTOM LOGO  

POCKETS	
1 OUT	0 IN

- RLP110NS S-5XL
- RLP112NS S-5XL
- RLP120NS S-5XL



CELL PHONE POCKET



**RCSZH33 Series**

ANSI/ISEA 107-2020 TYPE R CLASS 3  
CAN/CSA Z96-15 (R20) CLASS 2 LEVEL 2

SOLID MATERIAL  
 ZIPPER CLOSURE  
 CUSTOM LOGO  

POCKETS	
4 OUT	0 IN

- RCSZH3310 M-5XL
- RCSZH3320 M-5XL
- RCSZH3311 M-5XL (TYPE 0 CLASS 1) (CLASS 1 LEVEL 2)



**RSSH32 Series**

ANSI/ISEA 107-2020 TYPE R CLASS 3

SOLID MATERIAL  
 CUSTOM LOGO  

POCKETS	
1 OUT	0 IN

- RSSH3210 S-5XL

Available in tall size - RSSH32T (S-5XL)



**RSZH32 Series**

ANSI/ISEA 107-2020 TYPE R CLASS 3

SOLID MATERIAL  
 ZIPPER CLOSURE  
 CUSTOM LOGO  

POCKETS	
2 OUT	0 IN

- RSZH3210 S-5XL



**RSZH34 Series**

ANSI/ISEA 107-2020 TYPE 0 CLASS 1

SOLID MATERIAL  
 ZIPPER CLOSURE  
 CUSTOM LOGO  

POCKETS	
2 OUT	0 IN

- RSZH3411 S-5XL



# JACKETS



## RCJ32 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3  
ANSI/ISEA 107-2020 AATCC 127  
CAN/CSA Z96-15 (R20) CLASS 2 LEVEL 2



- RCJ3210 M-5XL
- RCJ3220 M-5XL



## RJ31 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3  
ANSI/ISEA 107-2020 AATCC 127



- RJ3110 S-5XL
- RJ3120 S-5XL



## RJ32 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3  
ANSI/ISEA 107-2020 AATCC 127



- RJ3210 S-6XL

**i** Available in tall size - RJ32T (S-5XL)



# PARKAS



## RCP32 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3  
ANSI/ISEA 107-2020 AATCC 127  
CAN/CSA Z96-15 (R20) CLASS 2 LEVEL 2



- RCP3210 M-5XL
- RCP3220 M-5XL



## RP31 Series

ANSI/ISEA 107-2020 TYPE R CLASS 3  
ANSI/ISEA 107-2020 AATCC 127



- RP3110 M-5XL
- RP3120 M-5XL




## RPB35 Series

ANSI/ISEA 107-2020 TYPE O CLASS 1  
ANSI/ISEA 107-2020 AATCC 127



- RPB3511 S-5XL

# HEADGEAR



RIDGELINE®	51
RIDGELINE XR7®	53
SL SERIES	54
FACESHIELDS/ ADAPTERS	55
SUNSHADES	56
BUMP CAP	56

## STANDARDS

ANSI/ISEA Z89.1-2014 (R2019) (Hard Hats)

ANSI/ISEA Z87.1-2020 (Brackets and Face Shields)

ANSI/ISEA Z87.1-2020 + (Polycarbonate Face Shields)

CAN/CSA Z94.1-20

## OUR HEADGEAR BRANDS

Head protection is essential in many workplaces. Our headgear is designed to provide high-performance and quality protection. We offer a range of options to meet your specific needs, including the stylish Ridgeline, the innovative XR7, and the classic SL Series.





## FULL HEADGEAR COLLECTION AND COMPARISON CHARTS

Visit the Core Products landing page to download comparison charts and view the entirety of the Pyramex headgear line.



## FEATURE ICONS

The icons below and in the following pages represent some of the most requested features for safety headgear.



**i** Ask your Pyramex Rep about accessories for your headgear.



## Ridgeline® Cap Style

ANSI/ISEA Z89.1-2014  
CAN/CSA Z94.1-20



### 4-Point Ratchet | 15 Variations

- HP44110 White
- HP44110C White
- HP44112 Gray
- HP44113 Slate Gray
- HP44120 Red
- HP44130 Yellow
- HP44130C Yellow
- HP44131 Hi-vis Lime
- HP44131C Hi-vis Lime
- HP44135 Green
- HP44141 Hi-vis Orange
- HP44160 Blue
- HP44162 Light Blue
- HP44165C Dark Blue
- HP44170 Pink



NON-VENTED

HYDRO DIPPED

VENTED

### Vented 4-Point Ratchet | 7 Variations

- HP44110V White
- HP44112V Gray
- HP44120V Red
- HP44130V Yellow
- HP44131V Hi-vis Lime
- HP44141V Hi-vis Orange
- HP44160V Blue

### 6-Point Ratchet | 7 Variations

- HP46110 White
- HP46120 Red
- HP46130 Yellow
- HP46131 Hi-vis Lime
- HP46135 Green
- HP46141 Hi-vis Orange
- HP46160 Blue



### 4-Point Ratchet Hydro Dipped | 10 Variations

- HP44116 Matte White Graphite Pattern
- HP44116C Matte White Graphite Pattern
- HP44116S Shiny White Graphite Pattern
- HP44117 Matte Black Graphite Pattern
- HP44117C Matte Black Graphite Pattern
- HP44117S Shiny Black Graphite Pattern
- HP44118 Matte Copper Pattern
- HP44119 Realtree AP® (Matte)
- HP44121 Matte Red Pattern
- HP44122 Matte Blue Pattern

### Vented 4-Point Ratchet Hydro Dipped | 2 Variations

- HP44116SV Shiny White Graphite Pattern
- HP44117V Matte Black Graphite Pattern



**i** Ask your Pyramex Rep about Ridgeline® Bump Cap options.

**i** HP44110C | HP44116C | HP44117C | HP44130C | HP44131C | HP44165C  
Ridgeline Cap Style with side clips to meet CSA standards.



NON-VENTED

VENTED

HYDRO DIPPED

## Ridgeline® Full Brim

ANSI/ISEA Z89.1-2014  
CAN/CSA Z94.1-20



### 4-Point Ratchet | 11 Variations

- HP54110 White
- HP54111 Black
- HP54112 Gray
- HP54113 Slate Gray
- HP54120 Red
- HP54130 Yellow
- HP54131 Hi-vis Lime
- HP54135 Green
- HP54141 Hi-vis Orange
- HP54160 Blue
- HP54170 Pink

### Vented 4-Point Ratchet | 7 Variations

- HP54110V White
- HP54111V Black
- HP54113V Slate Gray
- HP54130V Yellow
- HP54131V Hi-vis Lime
- HP54141V Hi-vis Orange
- HP54160V Blue

### 6-Point Ratchet | 5 Variations

- HP56110 White
- HP56120 Red
- HP56130 Yellow
- HP56135 Green
- HP56160 Blue

### 4-Point Ratchet Hydro Dipped | 9 Variations

- HP54116 Matte White Graphite Pattern
- HP54116S Shiny White Graphite Pattern
- HP54117 Matte Black Graphite Pattern
- HP54117S Shiny Black Graphite Pattern
- HP54118 Matte Copper Pattern
- HP54119 Realtree AP® (Matte)
- HP54121 Matte Red Pattern
- HP54122 Matte Blue Pattern
- HP54123 Matte Silver Graphite Pattern

### Vented 4-Point Ratchet Hydro Dipped | 1 Variations

- HP54117V Matte Black Graphite Pattern (Vented)

**i** Universal slots only available on vented options.



**Ridgeline XR7®**

ANSI/ISEA Z89.1-2014



6-Point Ratchet | 7 Variations

- HP76110 White
- HP76113 Slate Gray
- HP76120 Red
- HP76130 Yellow
- HP76131 Hi-vis Lime
- HP76140 Orange
- HP76160 Blue

6-Point Ratchet Hydro Dipped | 2 Variations

- HP76116 White Graphite Pattern
- HP76117 Black Graphite Pattern



Ridgeline XR7® safety helmets meet the following standards: ANSI/ISEA Z89.1-2020 Type 1 and EN 12492 Shock Absorption [Clause 4.2.1.1-Vertical; 4.2.1.2-Front; 4.2.1.3-Side; 4.2.1.4-Rear]

**i** Reflective stickers included inside the Ridgeline XR7 box.

**SL Series Cap Style**

ANSI/ISEA Z89.1-2014  
CAN/CSA Z94.1-20



4-Point Ratchet | 13 Variations

- HP14110 White
- HP14111 Black
- HP14112 Gray
- HP14120 Red
- HP14130 Yellow
- HP14131 Hi-vis Lime
- HP14135 Green
- HP14140 Orange
- HP14141 Hi-vis Orange
- HP14160 Blue
- HP14162 Light Blue
- HP14165 Dark Blue
- HP14170 Pink

6-Point Ratchet | 7 Variations

- HP16110 White
- HP16120 Red
- HP16130 Yellow
- HP16135 Green
- HP16140 Orange
- HP16141 Hi-vis Orange
- HP16160 Blue



4-Point Snap Lock | 8 Variations

- HP14010 White
- HP14020 Red
- HP14030 Yellow
- HP14031 Hi-vis Lime
- HP14035 Green
- HP14040 Orange
- HP14060 Blue
- HP14062 Light Blue

6-Point Snap Lock | 5 Variations

- HP16010 White
- HP16020 Red
- HP16030 Yellow
- HP16035 Green
- HP16040 Orange

**SL Series Full Brim**

ANSI/ISEA Z89.1-2014  
CAN/CSA Z94.1-20



4-Point Ratchet | 10 Variations

- HP24110 White
- HP24111 Black
- HP24120 Red
- HP24130 Yellow
- HP24131 Hi-vis Lime
- HP24135 Green
- HP24140 Orange
- HP24141 Hi-vis Orange
- HP24160 Blue
- HP24162 Light Blue

6-Point Ratchet | 6 Variations

- HP26110 White
- HP26120 Red
- HP26130 Yellow
- HP26135 Green
- HP26140 Orange
- HP26160 Blue



## FACESHIELDS AND ADAPTERS



### Polyethylene Face Shield

ANSI/ISEA Z87.1-2020

S1010

**i** Shown with HGBR - sold separately.



### Polycarbonate Face Shield

ANSI/ISEA Z87.1-2020 +

S1020

**i** Shown with HGBR - sold separately.



### Ridgeline® Ratchet Headgear

ANSI/ISEA Z87.1-2020

HGBR



### Ridgeline® Cap Style Adapter

ANSI/ISEA Z87.1-2020

HHABCMR

**i** Shown with Ridgeline® hard hat and CM6010 earmuff - sold separately.



### SL Series Cap Style Adapter

ANSI/ISEA Z87.1-2020

HHABCMS

**i** Shown with SL Series hard hat and CM6010 earmuff - sold separately.

### Aluminum Cap Style Adapter

ANSI/ISEA Z87.1-2020

HHAAs



### Aluminum Full Brim Adapter

ANSI/ISEA Z87.1-2020

HHAAs



## SUNSHADES



### HPESHADe

NON-RATED



UPF RATED

● HPESHADe10 Hi-vis Lime



### HPSHADe Series

NON-RATED

● HPSHADe10 White  
 ● HPSHADe30 Hi-vis Lime  
 ● HPSHADe40 Hi-vis Orange  
 ● HPSHADe60 Blue



### HPXR7SHADe

NON-RATED

● HPXR7SHADe30 Hi-vis Lime

## BUMP CAP



### Baseball Bump Cap

NON-RATED




ABS MATERIAL

● HP50011 Black  
 ● HP50031 Hi-vis Lime  
 ● HP50041 Hi-vis Orange  
 ● HP50065 Navy

**i** ABS material in bump cap shell only.



# WELDING



HELMETS

58

## STANDARDS

- ANSI/ISEA Z87.1-2020
- CE/UKCA EN175: 1997 (Shells)
- CE/UKCA EN379: 2009 (Filters)
- CE/UKCA EN166: 2001 (Cover Plates)
- CAN/CSA Z94.3-20

## AUTO-DARKENING HELMETS

Auto-darkening helmets are designed for maximum efficiency and maximum safety. They are designed to darken instantaneously at the light of a welding torch and clear up when the torch is turned off. The variable shade is intended to eliminate the process of lifting and lowering the helmet to see. Because an inactive lens often rests at either shade 3 or 4, seeing and starting the arc while still staying protected is easy. Auto-darkening helmets run off of solar power and batteries. These helmets are suitable for all types of electro-weldings: covered electrodes, MIG/MAG, TIG/WIG, plasma welding, cutting and laser welding (only selected models with two shade ranges, i.e. 5-8 and 9-13), except for gas welding. Pyramex recommends Duracell® DL2450 replacement lithium coin battery for WHAM30 and Duracell® DL2032 for WHAM10.


## IR EYEWEAR

IR options available in: Ztek, Venture II, Ever-Lite, Integra, V2G, Capstone Shield, OTS. See Eyewear section for more details.



## FULL WELDING COLLECTION

Visit the Core Products landing page to view the entirety of the Pyramex welding line.







## WELDING HELMETS



### WHAM30 Series

ANSI/ASA Z87.1-2020 |  
CAN/CSA Z94.3-20

9-13 stepless variable shade // 3.858" x 3.425" (98 x 87 mm) view area // Manual internal controls // Superior comfort with pivot style headgear // Made of high-impact resistant nylon // Four independent arc sensors in a staggered design to deliver the most reliable arc detection // Cutting and grinding modes // High speed lens 1/30,000 second // Powered by solar cells and replaceable lithium-battery // Includes magnification lens holder // Fully adjustable nylon suspension

-  WHAM3030AE American Eagle
-  WHAM3030FL Flame
-  WHAM3030FM Fire Metal
-  WHAM3030GB Glossy Black



### WHAM1020 Series

ANSI/ASA Z87.1-2020 |  
CE/UKCA EN175:1997


9-13 stepless variable shade // Manual external/internal controls // Superior comfort with pivot style headgear // Made of high-impact resistant nylon // Four independent arc sensors in a staggered design to deliver the most reliable arc detection // Grinding and welding modes // High speed lens 1/30,000 second // 5 amps and below TIG rating // Powered by solar cells and replaceable lithium-battery // Includes magnification lens holder // Fully adjustable nylon suspension

-  WHAM1020MB Matte Black



**i** Ask your Pyramex Rep about the Leadhead accessories and replacement parts.  
WHHADP Welding Helmet Hard Hat Adapter is shown with a Ridgeline hard hat – sold separately.

# HEARING



EARPLUGS	60
ELECTRONIC EARMUFF	60
CAP MOUNTED EARMUFF	60
PASSIVE EARMUFFS	61

## STANDARDS

ANSI/ASA S3.19-1974  
 CE/UKCA EN 352:2020  
 CAN/CSA Z94.2-2014(R2019)

## NRR (ANSI)


Noise Reduction Rating (NRR) is an estimated unit of measurement used to determine the amount of sound in decibels (dB) that a hearing device is capable of blocking out when properly worn.

## SNR (CE/UKCA)

Single Number Rating (SNR) is an estimated unit of measurement used to determine the amount of sound in decibels (dB) that a hearing device is capable of blocking out when properly worn. SNR also rates hearing protection by the noise environments in three categories: high-frequency (H), mid-frequency (M), and low-frequency (L).

## FEATURE ICONS

The icons below and in the following pages represent some of the most requested features for hearing protection.



## FULL HEARING COLLECTION

Visit the Core Products landing page to view the entirety of the Pyramex hearing line.



## EARPLUGS



NRR 32dB  
 SNR 38dB

### DP1000

ANSI/ASA S3.19-1974 |  
 CE/UKCA EN 352:2020



NRR 31dB  
 SNR 37dB

### DP1001

ANSI/ASA S3.19-1974 |  
 CE/UKCA EN 352:2020



NRR 30dB  
 SNR 37dB

### DPD1001

ANSI/ASA S3.19-1974 |  
 CE/UKCA EN 352:2020



## ELECTRONIC EARMUFF



NRR 26dB



### Amp BT™

ANSI/ASA S3.19-1974



- VGPME30BT Black
- VGPME31BT Desert Tan
- VGPME32BT Urban Gray

**i** Amp BT™ is a VG packaged product.

## CAP MOUNTED EARMUFF



NRR 22dB

### CM60 Series

ANSI/ASA S3.19-1974



- CM6010 Gray

**i** Fits Cap Style hard hats - sold separately. Ask your Pyramex Rep about Full Brim options.





NRR 26dB

**PPM1 Series**

ANSI/ASA S3.19-1974 |  
CAN/CSA Z94.2-2014



DIELECTRIC



CUSTOM LOGO

- PPM110 Black



NRR 27dB

SNR 30.4dB

**PM30 Series**

ANSI/ASA S3.19-1974 |  
CE/UKCA EN 352:2020



CUSTOM LOGO

- PM3010 Black
- PM3011 Gray
- PM3022 OD Green
- PM3031 Hi-vis Lime



NRR 25dB

SNR 30dB

**PM80 Series**

ANSI/ASA S3.19-1974 |  
CE/UKCA EN 352:2020



CUSTOM LOGO

- PM8010 Gray
- PM8031 Hi-vis Lime
- PM8041 Hi-vis Orange



NRR 24dB

**PM90 Series**

ANSI/ASA S3.19-1974



CUSTOM LOGO

- PM9010 Black



	ALAIR®	ATOKA®	ENDEAVOR® PLUS	INTRUDER®	LEGACY®	NESHOBA™	PROVOQ®	ZTEK®
<b>RATINGS</b>								
	ANSI/ISEA Z87.1-2020 +	X	X	X	X	X	X	X
	CAN/CSA Z94.3-2020	X	X	X	X	X	X	X
<b>COLORS</b>								
LENS COLORS	Blue Mirror, Clear, Gray, Infinity Blue, 1/0 Mirror, Silver Mirror	Clear, Gray, 1/0 Mirror	Clear, Gray, 1/0 Mirror	Amber, Blue Mirror, Clear, Gray, Infinity Blue, 1/0 Mirror, Silver Mirror	Clear, Gray, Light Gray, 3.0 IR, 5.0 IR	Clear, Gray, 1/0 Mirror	Amber, Blue Mirror, Clear, Gray, Multi-Color Mirror, Infinity Blue, 1/0 Mirror, Silver Mirror	1.5 IR, 3.0 IR, 5.0 IR, Amber, Arc 1.5 IR, Blue Mirror, Clear, Coffee, Gold Mirror, Gray, Infinity Blue, 1/0 Mirror, Orange, Purple Haze, Silver Mirror
TEMPLE COLORS	Same as Lens	Same as Lens	Black/Gray, Black/Green, Black/Pink	Same as Lens, Black, Blue, Red	Same as Lens	Black	Same as Lens	Same as Lens
<b>AF</b>								
H2X ANTI-FOG	X	X	X	-	-	X	-	X
H2MAX ANTI-FOG	-	-	X	X	X	X	-	-
STANDARD ANTI-FOG	-	X	-	X	-	-	X	-
ADJUSTABLE NOSEPIECE	-	-	X	-	-	-	-	-
CO-INJECTED TEMPLES	-	-	X	-	-	-	-	-
CUSTOM LOGO	X	X	X	X	X	X	X	X
DIELECTRIC	-	-	X	-	-	-	-	-
RUBBER NOSEPIECE	-	-	X	-	-	-	X	-
RUBBER TEMPLE TIPS	-	X	-	-	-	-	X	-
FOAM PADDING	-	-	X	X	-	-	-	-
IR	-	-	-	-	X	-	-	X
MINI	-	-	-	X	-	-	-	X
MULTI-COLOR PACK	-	-	-	X	-	-	-	-
READER	-	-	-	X	-	-	-	X
<b>CORE PRODUCTS PAGE</b>	Page 08	Page 08	Page 06	Page 07	Page 08	Page 08	Page 05	Page 05





EVER-LITE®	INTEGRA®	PMXTREME®	RENDEZVOUS®	SITECORE™	VENTURE II®	VENTURE 3®
ANSI/ISEA Z87.1-2020 +	X	X	X	X	X	X
CAN/CSA Z94.3-2020	X	-	-	X	X	X
CE/UKCA EN 166	X	X	X	X	X	X
MIL-PRF-32432	-	-	X	-	X	X
LENS COLORS	3.0 IR, 5.0 IR, Clear, Gray	Amber, Blue Mirror, Clear, Gray, Ice Orange Mirror, Infinity Blue, I/O Mirror, Sandstone Bronze, Silver Mirror, Smoke Green Mirror	Amber, Clear, Gray, I/O Mirror	Amber, Clear, Gray, I/O Mirror	3.0 IR, 5.0 IR, Amber, Blue Mirror, Clear, Gray, Gold Mirror, Infinity Blue, I/O Mirror, Orange, Silver Mirror, Sun Block Bronze	Amber, Clear, Gray, Infinity Blue, I/O Mirror, Silver Mirror
FRAME COLORS	Black, Black/Lime	Black, Blue, Red, Red/White/Blue	Black, Crystal Gray	Black/Gray, Gray/Lime	Black, Metallic Blue, Slate Gray	Black
H2X ANTI-FOG	X	-	X	-	X	X
H2MAX ANTI-FOG	X	-	-	X	-	X
STANDARD ANTI-FOG	X	X	-	-	X	-
ADJUSTABLE NOSEPIECE	-	-	X	-	-	X
ADJUSTABLE TEMPLES	-	X	X	X	X	X
CO-INJECTED TEMPLES	X	-	-	-	-	X
CUSTOM LOGO	X	-	X	X	X	X
INCLUDES STRAP	-	X	-	-	-	-
RATCHETING TEMPLES	-	-	X	X	-	-
RUBBER NOSEPIECE	X	-	-	X	X	-
RUBBER TEMPLE TIPS	-	-	-	-	-	-
VENTED FRAME	-	-	-	-	-	X
PHOTOCHROMIC	X	-	-	-	-	-
IR	X	X	-	-	X	-
READER	X	X	-	-	X	-
CORE PRODUCTS PAGE	Page 11	Page 12	Page 10	Page 10	Page 09	Page 10



EXETER®	GOLIATH®	VELAR™	ZONE II®
ANSI/ISEA Z87.1-2020 +	X	X	X
CAN/CSA Z94.3-2020	-	X	-
CE/UKCA EN 166	X	X	X
LENS COLORS	Blue Mirror, Clear, Gray, Shooter's Amber, Sky Red Mirror	Clear, Gray, Ice Blue Mirror, Ice Orange Mirror, Sky Red Mirror	Blue Mirror, Clear, Gray, Ice Blue Mirror, Ice Orange Mirror, I/O Mirror, Silver Mirror
FRAME COLORS	Glossy Black	Black, Black/Red, White/Blue, White/Red	Matte Black, Silver
H2X ANTI-FOG	X	-	-
STANDARD ANTI-FOG	X	-	-
CO-INJECTED TEMPLES	X	X	-
CUSTOM LOGO	X	X	X
RUBBER NOSEPIECE	X	X	X
RUBBER TEMPLE TIPS	-	-	X
POLARIZED	-	-	-
CORE PRODUCTS PAGE	Page 13	Page 14	Page 13



SEALED EYEWEAR	CROSSOVR™	FYXATE™	HIGHLANDER™ PLUS	I-FORCE®	ISOTOPE™	PROXIMITY®	TORSER™	V2G®	V2G-PLUS®
ANSI/ISEA Z87.1-2020 +	X	X	X	X	X	X	X	X	X
D3: Droplet and Splash Test	-	-	-	-	X	-	X	-	X
D4: Dust Test	-	-	-	-	X	-	X	-	-
D5: Fine Dust Test	-	-	-	-	-	-	X	-	-
CAN/CSA Z94.3-2020	X	X	X	X	X	X	X	X	X
CE/UKCA EN 166	X	-	X	X	X	X	X	X	X
MIL-PRF-32432	-	-	X	X	X	-	-	X	X
ASTM F2879-19	-	-	-	X	-	-	-	-	X
LENS COLORS	Clear, Gray, I/O Mirror	Clear, Gray, I/O Mirror, Light Gray	Amber, Clear, Gray, I/O Mirror, Sky Red Mirror	Amber, Clear, Gray, I/O Mirror	Amber, Clear, Gray, I/O Mirror	Amber, Clear, Dark Gray, I/O Mirror	Clear, Light Gray	3.0 IR, 5.0 IR, Amber, Clear, Gray, I/O Mirror	Clear, Gray
FRAME COLORS	Black/Gray, Gray/Lime	Black, Lime	Black/Gray	Black	Black	Black, Black/Lime	Black	Black	Black
H2X ANTI-FOG	X	X	X	X	-	X	-	X	X
H2MAX ANTI-FOG	-	X	-	-	X	X	X	X	-
STANDARD ANTI-FOG	X	-	X	X	X	X	-	X	-
ADJUSTABLE TEMPLES	-	-	-	-	X	-	-	-	-
CO-INJECTED TEMPLES	-	-	-	-	-	X	-	-	-
CUSTOM LOGO	X	-	X	X	-	X	-	X	X
DIELECTRIC	-	X	-	X	X	-	X	-	X
DUAL PANE LENS	-	-	-	X	-	-	-	-	X
FOAM PADDING	-	X	X	X	-	X	-	X	-
INTERCHANGE TEMPLE/STRAP	-	-	-	X	-	-	-	X	-
INCLUDES STRAP	X	X	X	X	X	-	-	X	-
RATCHETING TEMPLES	-	-	-	-	-	-	-	X	-
RUBBER NOSEPIECE	-	X	-	-	X	-	-	-	-
RUBBER TEMPLE TIPS	-	X	-	-	-	-	-	-	-
VENTED FRAME	X	-	X	X	-	-	-	X	-
IR	-	-	-	-	-	-	-	X	-
READER	-	-	-	-	-	-	-	-	-
SLIM	-	-	-	X	-	-	-	-	-
<b>CORE PRODUCTS PAGE</b>	Page 17	Page 15	Page 17	Page 16	Page 17	Page 15	Page 18	Page 18	Page 18



GOGGLES	CAPSTONE® SHIELD	G201 SERIES	G205 SERIES	G3 SERIES	G4 SERIES	G7 SERIES
ANSI/ISEA Z87.1-2020 +	X	X	X	X	X	X
D3: Droplet and Splash Test	X	-	X	X	X	X
D4: Dust Test	X	-	-	X	X	X
CAN/CSA Z94.3-2020	X	-	-	X	X	-
CE/UKCA EN 166	X	-	X	X	-	X
MIL-PRF-32432	X	-	-	-	-	-
LENS COLORS	3.0 IR, 5.0 IR, Clear, Gray	Clear	Clear	Clear	Clear	Clear, Gray
BODY COLORS	Same as Shield	Clear	Clear	Tinted	Tinted	Gray
H2X ANTI-FOG	X	-	-	X	X	-
STANDARD ANTI-FOG	-	X	X	-	-	X
DIELECTRIC	-	-	-	X	-	-
DUAL PANE	X	-	-	-	-	-
FOAM PADDING	-	-	-	-	X	-
NEOPRENE STRAP	-	-	-	X	-	-
OVER THE SPEC	X	-	-	X	X	-
<b>IR</b>	X	-	-	-	-	-
<b>CORE PRODUCTS PAGE</b>	Page 19	Page 20	Page 20	Page 20	Page 20	Page 20



OVER THE SPEC		CAPSTONE® SHIELD	CAPTURE™	CAPPTURE PLUS	CAPTURE PRO	G3 SERIES	G4 SERIES	OTS®	SOLO®	
RATINGS	ANSI/ISEA Z87.1-2020 +	X	X	X	X	X	X	X	X	
	D3: Droplet and Splash Test	X	-	-	X	X	X	-	-	
	D4: Dust Test	X	-	-	X	X	X	-	-	
	CAN/CSA Z94.3-2020	X	X	X	X	X	X	X	X	
COLORS	CE/UKCA EN 166	X	X	X	X	X	-	X	X	
	MIL-PRF-32432	X	-	-	-	-	-	-	-	
AF	LENS COLORS	3.0 IR, 5.0 IR, Clear, Gray	Clear, Gray	Clear, Gray	Clear, Gray	Clear	Clear	3.0 IR, 5.0 IR, Clear, Gray, I/O Mirror	Clear, Gray	
	BODY COLORS	Same as Shield	Same as Lens	Black	Black	Tinted	Tinted	Black	Same as Lens	
FEATURES	H2X ANTI-FOG	X	X	-	-	X	X	X	-	
	H2MAX ANTI-FOG	-	X	X	X	-	-	-	-	
	ADJUSTABLE TEMPLES	-	-	-	-	-	-	X	-	
	CUSTOM LOGO	-	X	X	-	-	-	X	X	
	DIELECTRIC	-	X	X	X	X	-	-	-	
	DUAL PANE	X	-	-	-	-	-	-	-	
	FOAM PADDING	-	-	-	-	-	X	-	-	
	INCLUDES STRAP	-	-	X	-	-	-	-	-	
	OVER THE SPEC	X	X	X	X	X	X	X	Only S510J Fits Over the Spec	
	RATCHETING TEMPLES	-	-	-	-	-	-	-	X	
OPTIONS	IR	X	-	-	-	-	-	X	-	
	XL	-	-	-	-	-	-	X	-	
CORE PRODUCTS PAGE		Page 19			Page 21		Page 20		Page 22	



READERS	EMERGE®	EMERGE® PLUS	EVER-LITE®	INTRUDER®	VENTURE II®	ZTEK®	
RATINGS	ANSI/ISEA Z87.1-2020 +	X	X	X	X	X	
	CAN/CSA Z94.3-2020	X	X	-	X	X	
	CE/UKCA EN 166	X	-	-	X	X	
COLORS	LENS COLORS	Clear	Clear, Gray	Clear	Amber, Clear, Gray, I/O Mirror	1.5 IR, Clear, Gray	
	MAG	Rx, +1.5, +2.0	+1.5, +2.0, +2.5, +3.0	+1.5, +2.0, +2.5, +3.0	+1.0, +1.5, +2.0, +2.5, +3.0	+1.5, +2.0, +2.5	
AF	FRAME COLORS	Black, Translucent Gray	Translucent Gray	Black	Black	Same as Lens	
	H2X ANTI-FOG	-	-	-	X	-	
FEATURES	H2MAX ANTI-FOG	-	-	X	-	-	
	ADJUSTABLE TEMPLES	-	-	-	X	-	
	CO-INJECTED TEMPLES	-	-	X	-	-	
	CUSTOM LOGO	X	X	X	X	X	
	RUBBER NOSEPIECE	X	X	X	-	-	
RUBBER TEMPLE TIPS	-	X	-	-	-	X	
IR	-	-	-	-	-	X	
CORE PRODUCTS PAGE		Page 23		Page 24		Page 24	



	GL103HT	GL104HT	GL105HT	GL105CHT	GL202HT	GL203HT	GL204HT	GL204CHT	GL805HT	GL806HT	GL807HT	GL807CHT
	GENERAL PURPOSE				IMPACT UTILITY				HIGH PERFORMANCE			
<b>RATINGS</b>												
<b>ANSI CUT</b>	N/A	A1	A1	360° CUT A6	N/A	N/A	N/A	360° CUT A6	N/A	A2	N/A	180° CUT A5
<b>ANSI IMPACT</b>	N/A	N/A	N/A	N/A	Level 1	N/A	N/A	N/A	Level 2	Level 2	Level 2	Level 2
<b>ANSI ABRASION</b>	3	6	3	3	6	6	4	4	6	4	6	6
<b>ANSI PUNCTURE</b>	2	4	2	4	5	2	5	4	3	4	2	4
<b>EN 388</b>	3121X	4121X	3121X	2X22F	4112XP	2131XP	3121XP	3X21FP	4112XP	2143XP	2121XP	3X22FP
<b>CONSTRUCTION</b>	Synthetic Leather	Genuine Leather	Synthetic Leather	Synthetic Leather	Genuine Leather	Silicone	PVC Palm Patch	PVC Palm Patch	Genuine Leather	PVC	Silicone + PVC Patch	Silicone + PVC Patch
<b>CUFF</b>	Slip-on	Hook + Loop	Hook + Loop	Hook + Loop	Hook + Loop	Hook + Loop	Hook + Loop	Hook + Loop	Neoprene	Neoprene	Neoprene	Neoprene
<b>SIZING</b>	S-3XL	S-3XL	S-3XL	S-3XL	S-3XL	S-3XL	S-3XL	S-3XL	S-3XL	S-3XL	S-3XL	S-3XL
<b>TOUCHSCREEN</b>	Yes	No	Yes	Yes	No	No	Yes	Yes	No	No	No	No
<b>HANGTAG</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>CORE PRODUCTS PAGE</b>	N/A	Page 27	Page 27	Page 27	Page 27	N/A	Page 27	Page 27	Page 28	Page 28	N/A	Page 28



	GL601	GL617	GL615	GL605	GL614
	MICRO-FOAM			SMOOTH	
<b>NITRILE NON-CUT</b>					
<b>RATINGS</b>					
<b>ANSI ABRASION</b>	6*	6	6	6	6
<b>ANSI PUNCTURE</b>	2	2	2	2	2
<b>EN 388</b>	4131X	4131X	4131X	4131X	4121X
<b>CONSTRUCTION</b>					
<b>DIP COVERAGE</b>	Palm + Fingers	Palm, Fingers + Knuckles	Palm + Fingers	Full	Palm + Fingers
<b>LINER</b>	Nylon + Spandex 15G	Nylon + Spandex 15G	Nylon + Spandex 15G	Polyester 15G	Polyester 13G
<b>SIZING</b>	XS-3XL	S-2XL	S-2XL	S-2XL	S-2XL
<b>DOTTED PALM OPTION</b>	GL601DP XS-3XL	GL617DP S-2XL	No	No	No
<b>REINFORCED THUMB</b>	GL601DP	GL617DP	No	Yes	No
<b>WATER RESISTANT</b>	No	No	No	Yes	No
<b>HANGTAG</b>	No	No	GL615HT S-2XL	No	No
<b>CORE PRODUCTS PAGE</b>					

**I** The GL601DP has a ANSI Abrasion rating of 5.



18G NITRILE		GL618	GL619C	GL606DPC	GL620C	GL613C	GL621C
MICRO-FOAM							
RATINGS	ANSI CUT	N/A	A2	A3	A4	A4	A5
	ANSI ABRASION	6	6	6	6	5	6
	ANSI PUNCTURE	2	3	4	3	3	3
	EN 388	N/A	N/A	4X42C	N/A	4X42D	N/A
CONSTRUCTION	DIP COVERAGE	Palm + Fingers	Palm + Fingers	Palm + Fingers	Palm + Fingers	Palm + Fingers	Palm + Fingers
	LINER	Nylon 18G	HPPE 18G	HPPE 18G	HPPE 18G	HPPE 18G	HPPE 18G
	SIZING	S-2XL	S-2XL	XS-3XL	S-2XL	XS-3XL	S-2XL
	TOUCHSCREEN	Yes	Yes	No	Yes	Yes	Yes
	DOTTED PALM	No	No	Yes	No	No	No
	REINFORCED THUMB	Yes	Yes	Yes	Yes	Yes	Yes
	VEND PACK	No	No	GL606DPCVP S-2XL	No	No	No
CORE PRODUCTS PAGE							

Page 30

**i** The GL618, GL619C, GL620C, and GL621C are new to the line and their standards and information are subject to change.



13G NITRILE		GL603C5	GL608C	GL604C5	GL609C	GL610C
MICRO-FOAM						
SANDY						
RATINGS	ANSI CUT	A4	A6	A4	A6	A6
	ANSI ABRASION	4	4	6	6	6
	ANSI PUNCTURE	4	4	3	4	4
	ANSI IMPACT	N/A	N/A	N/A	2	2
CONSTRUCTION	DIP COVERAGE	Palm + Fingers	Palm + Fingers	Palm + Fingers	Palm + Fingers	Palm, Fingers + Knuckles
	LINER	HPPE 13G	HPPE 13G	HPPE 13G	HPPE 13G	HPPE 13G
	SIZING	XS-3XL	S-2XL	S-2XL	S-3XL	S-3XL
	TOUCHSCREEN	No	No	No	No	Yes
	DOTTED PALM OPTION	GL603DPC5 S-2XL	No	No	No	No
	REINFORCED THUMB	GL603DPC5	No	No	Yes	Yes
	HANGTAG	GL603C5HT XS-3XL	No	No	No	No
CORE PRODUCTS PAGE		Page 31	Page 31	Page 31	Page 32	Page 32



LATEX & POLYURETHANE		GL503	GL502	GL406	GL401	GL403C	GL402C5
		CRINKLE LATEX	SANDY SMOOTH LATEX	POLYURETHANE			
RATINGS	ANSI CUT	A1	A1	A1	A1	A2	A4
	ANSI ABRASION	4	4	3	3	2	3
	ANSI PUNCTURE	3	2	2	2	3	4
	EN 388	3242X	3131X	3131X	4131X	4X42B	4X43D
	EN 407	Contact Heat 2	N/A	N/A	N/A	N/A	N/A
CONSTRUCTION	DIP COVERAGE	Palm + Fingers	Full	Palm + Fingers	Palm + Fingers	Palm + Fingers	Palm + Fingers
	LINER	Polyester 10G	Nylon 13G	Polyester 13G	Nylon 13G	HPPE 13G	HPPE 13G
	SIZING	S-2XL	S-2XL	XS-3XL	XS-3XL	S-2XL	XS-3XL
TOUCH SENSITIVITY	No	No	Yes	Yes	Yes	Yes	Yes
LOW PARTICULATE SHED	No	No	Yes	Yes	Yes	Yes	Yes
WATER RESISTANT	No	Yes	No	No	No	No	No
HANGTAG/VEND PACK	GL503HT (Hangtag) S-2XL GL503VP (Vend) S-XL	No	No	No	GL401HT (Hangtag) XS-3XL GL401VP (Vend) S-2XL	No	GL402CSHT (Hangtag) XS-3XL
CORE PRODUCTS PAGE	Page 32	Page 32	Page 33	Page 33	Page 33	Page 33	Page 33



INSULATED DIPPED		GL901	GL505	GL507C	GL612C
		HPT	SANDY/SMOOTH LATEX		
RATINGS	ANSI CUT	A2	A2	A4	A6
	ANSI ABRASION	3	4	5	6
	ANSI PUNCTURE	2	2	4	4
	ANSI IMPACT	N/A	N/A	N/A	2
	EN 388	3231X	3231X	3X43D	4X43EP
EN 511	Contact Cold 2	Contact Cold 2	Contact Cold 2	Contact Cold 2	
CONSTRUCTION	DIP COVERAGE	Palm + Fingers	Full	Full	Palm + Fingers
	OUTER LINER	Nylon 15G	Polyester 13G	HPPE 13G	HPPE 13G
	INNER LINER	Acrylic Terry 7G	Acrylic 10G	Acrylic 10G	Acrylic 10G
SIZING	S-2XL	S-2XL	S-2XL	S-2XL	
WATER RESISTANT	Yes	Yes	Yes	No	
CORE PRODUCTS PAGE	Page 34	Page 34	Page 34	Page 34	



		GL1001W	GL1006W	GL1002W	GL1003W	GL1004W	GL1010W	
		SELECT			PREMIUM			
CONSTRUCTION	LEATHER	Split Cowhide	Split Cowhide	Split Cowhide	Grain Cowhide	Grain Cowhide	Split Cowhide	
	THUMB	Wing	Wing	Wing	Wing	Wing	Wing	
	CUFF	Rubberized Safety Cuff	Rubberized Safety Cuff	Rubberized Gauntlet Cuff	Rubberized Safety Cuff	Rubberized Gauntlet Cuff	Rubberized Safety Cuff	
	SIZING	L-2XL	L-XL	L-XL	L-XL	L-XL	S-2XL	
KEVLAR STICHING	No	No	No	No	No	No	Yes	
HANGTAG	GL1001WHT L-XL	No	GL1002WHT L-XL	No	No	No	No	
DOUBLE PALM	No	Yes	No	No	No	No	No	
CORE PRODUCTS PAGE								



		GL2001K	GL2002K	GL3011K	GL2004K	GL2003K	GL4003K	GL2008K
		VALUE			SELECT			
CONSTRUCTION	LEATHER	Grain Cowhide	Grain Cowhide	Grain Goatskin	Grain Cowhide	Grain Cowhide	Grain Pigskin	Split/Grain Cowhide
	THUMB	Keystone	Keystone	Keystone	Keystone	Keystone	Keystone	Keystone
	LINER	Unlined	Unlined	Unlined	Unlined	Unlined	Fleece	Unlined
	SIZING	S-2XL	S-2XL	S-2XL	S-3XL	S-2XL	S-2XL	S-3XL
KEVLAR STICHING	No	No	No	No	No	No	No	Yes
HANGTAG	GL2001KHT S-2XL	No	No	No	No	No	No	No
PALM PATCH	No	No	No	No	No	Yes	No	No
HI-VIS	No	Yes	No	No	Yes	No	No	No
CORE PRODUCTS PAGE								



CUT AND IMPACT LEATHER DRIVERS		GL3006CK	GL3006CKB	GL3007CK	GL3007CKB	GL3009CKB	GL3010CK	GL3004CW	
		HPPE 360° CUT LINER				PARA-ARAMID 360° CUT LINER			
ANSI CUT	A5	A5	A6	A6	A6	A4	A5	A7	
ANSI IMPACT	N/A	2	N/A	N/A	2	2	N/A	1	
ANSI ABRASION	4	4	4	4	4	3	4	4	
ANSI PUNCTURE	4	4	4	4	4	3	4	5	
EN 388	3X42F	3X42FP	2X42F	2X42FP	2X42FP	2X21EP	1X32E	3X43FP	
ARC FLASH	N/A	N/A	N/A	N/A	N/A	4	4	N/A	
CAL/CM²	N/A	N/A	N/A	N/A	N/A	47	41	N/A	
LEATHER	Premium Grain Goatskin	Premium Grain Goatskin	Premium Grain Goatskin	Premium Grain Goatskin	Premium Grain Goatskin	Premium Grain Goatskin	Premium Grain Goatskin	Premium Grain Goatskin	
THUMB	Keystone	Keystone	Keystone	Keystone	Keystone	Keystone	Keystone	Wing	
SIZING	S-2XL	S-2XL	S-2XL	S-3XL	S-3XL	S-2XL	S-2XL	S-3XL	
OIL & WATER RESISTANT	No	No	No	No	No	Yes	Yes	No	
KEVLAR STITCHING	No	No	No	No	No	Yes	Yes	No	
CORE PRODUCTS PAGE	N/A	Page 37	Page 37	N/A	Page 38	Page 38	Page 38	Page 37	



INSULATED LEATHER DRIVERS		GL2006K	GL4003K	GL3006CKF	GL3006CKBF
		VALUE	SELECT	PREMIUM	
ANSI CUT	N/A	N/A	N/A	A5	A5
ANSI IMPACT	N/A	N/A	N/A	N/A	2
ANSI ABRASION	N/A	N/A	N/A	4	4
ANSI PUNCTURE	N/A	N/A	N/A	4	4
LEATHER	Grain Cowhide	Grain Pigskin	Grain Goatskin	Grain Goatskin	Grain Goatskin
THUMB	Keystone	Keystone	Keystone	Keystone	Keystone
LINER	Fleece	Fleece	HPPE + Fleece	HPPE + Fleece	HPPE + Fleece
SIZING	S-2XL	S-2XL	S-2XL	S-2XL	S-2XL
CORE PRODUCTS PAGE	Page 38	Page 38	N/A	Page 38	Page 38











VESTS		RV12	RCZ21	RVZ21	RVHL29	RVZ22	RVZ23	RVZ24	RVZ24CP	RVZ46B	RVZF61	RVZ31	RVZ36	RVZ37B
VESTS														
RATINGS	ANSI/ISEA 107	Non-Rated	Type R Class 2	Type R Class 2	Type R Class 2	Type R Class 2	Type R Class 2	Type R Class 2	Type R Class 2 (Lime, Orange), Type O Class 1 (Black), Non-Rated (Red, Green, Blue)	Type R Class 2	Type R Class 2	Type R Class 3	Type R Class 3	Type R Class 3
	CAN/CSA Z96	Class 2 Level 2												
CONSTRUCTION	SIZE RANGE	S-M, L-XL, 2XL-3XL, 4XL-5XL	M - 5XL	S - 5XL	S - 3XL (Lime) M - 3XL (Orange)	S - 5XL (Lime) M - 5XL (Orange)	S - 5XL	S - 5XL	S - 5XL	S - 5XL	S - 2XL	S - 5XL	S - 5XL	S - 5XL
	CLOSURE	Hook & Loop	Zipper	Zipper	Hook & Loop	Zipper	Zipper	Zipper	Zipper	Zipper	Zipper	Zipper	Zipper	Zipper
FEATURES	TAPE	Single	Single	Single	Single	Contrasting	Contrasting	Contrasting	Contrasting	Contrasting	Contrasting	Single	Contrasting	Contrasting
	MATERIAL	Mesh	Mesh	Mesh	Solid	Mesh	Mesh	Solid /Mesh	Solid /Mesh	Mesh	Solid /Mesh	Mesh	Mesh	Solid /Mesh
POCKETS	COLORS	Red, Green, Blue, Pink	Lime, Orange	Lime, Orange	Lime, Orange	Lime, Orange	Lime, Orange	Lime, Orange	Lime, Black, Orange, Red, Green, Blue	Lime	Lime	Lime, Orange	Lime, Orange	Lime
	TOTAL	1	2	2	-	2	6	6	6	7	9	6	4	7
CORE PRODUCTS PAGE	OUTSIDE	1	1	1	-	1	4	4	4	5	7	2	4	5
	INSIDE	-	1	1	-	1	2	2	2	2	2	4	0	2
FEATURES	CLEAR POCKET	-	-	-	-	-	-	-	X	X	X	X	X	X
	CUSTOM LOGO	X	X	X	X	X	X	X	X	X	X	X	X	X
CORE PRODUCTS PAGE	D-RING	-	-	-	-	-	-	-	-	-	-	-	-	-
	PADDED COLLAR	-	-	-	-	-	-	-	-	X	X	-	-	X
CORE PRODUCTS PAGE	METAL GROMMETS	-	-	-	-	-	-	-	-	X	X	-	-	X
	MIC TABS	-	-	-	-	-	2	2	2	2	1	-	2	2
CORE PRODUCTS PAGE		Page 41	Page 41	Page 41	Page 42	Page 42	Page 42	Page 42	Page 42	Page 42	Page 43	Page 43	Page 43	Page 43



SHIRTS		RTS21	RTS21NS	RTS21B	RCLIS31	RLIS31	RLIS31NS	RLIS31B
SHORT SLEEVE SHIRTS								
RATINGS	ANSI/ISEA 107	Type R Class 2	Non-Rated	Type R Class 2	Type R Class 3 (Lime, Orange) Type O Class 1 (Black)	Type R Class 3	Non-Rated	Type R Class 2
	CAN/CSA Z96				Class 2 Level 2 (Lime, Orange) Class 1 Level 2 (Black)			
CONSTRUCTION	SIZE RANGE	S - 5XL	M - 5XL	S - 4XL/5XL	M - 5XL (Lime, Orange) S - 5XL (Black)	S - 5XL	M - 5XL	M - 5XL
	TAPE	Single	-	Single	Contrasting	Single	-	Single
FEATURES	COLORS	Lime, Orange	Lime	Lime, Orange	Lime, Orange, Black	Lime	Lime	Lime, Orange
	POCKETS	1	1	1	1	1	1	1
CORE PRODUCTS PAGE	CUSTOM LOGO	X	X	X	X	X	X	X
	UPF 30+	Yes	Yes	Yes	Yes	Yes	Yes	Yes
CORE PRODUCTS PAGE	MOISTURE-WICKING	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	BLACK BOTTOM	-	-	Yes	-	-	-	Yes
CORE PRODUCTS PAGE		Page 41	Page 41	Page 41	Page 42	Page 42	Page 42	Page 43



**THERE'S MORE TO SEE  
AT PYRAMEX.COM**

CORE PRODUCTS\_0124