


User Manual	Manual de Usuario	Manuel de l'Utilisateur
Customer Service US: 1-800-645-2986	Servicio de atención al Cliente US: 1-800-645-2986	Service à la clientèle Canada: 888-645-2986

CABLE PROTECTOR

COMPONENTS




CHANNEL CAPACITY

MODEL NO.	CHANNEL CAPACITY - MAX DIAMETER INCHES (WIDTH x HEIGHT)
670615	1-1/4" x 1-3/8"
670616	1" x 1-3/8"
670618	2-3/8" x 2"
670619	2-1/4" x 2"
670621	1-3/8" x 1-3/8"
670622	1-5/16" x 1-3/16"
670624	3-1/2" x 1-3/16"
670625	3-1/2" x 1-3/16"
(Optional 5 Channel End Cap)	
670623	1-3/8" x 1-3/8"

ASSEMBLY

Interlock with connectors to extend protection length.
(See Figure 1)



LOAD CAPACITY

The Cable Protector has different load supporting capabilities depending on type of vehicle and temperature. Suitability must be verified by testing under actual conditions.

Load-supporting capacity varies by type of loading conditions and environment conditions. The load capacity decreases in warm environments. Test before use and inspect periodically.

- Inspect areas for safety hazards
- Assemble sections by aligning male connectors over female connectors and press with foot to secure.
- Close cover flush with base.
- Test installation for intended use.

MODEL NO.	LOAD CAPACITY - MAX LOAD 70°F(21°C)
670615	16000 lbs
670616	24000 lbs
670618	22000 lbs
670619	32600 lbs
670621	22000 lbs
670622	32600 lbs
670624	18000 lbs
670625	18000 lbs

CABLE PROTECTOR

CHEMICAL RESISTANCE

Limited resistance to brake fluids and other chemicals.



CAUTION! Misuse can cause electrical shock and injury.

MATERIAL

MODEL NO.	MATERIAL
670615	Rubber and plastic
670616	Rubber and plastic
670618	Rubber and plastic
670619	Rubber and plastic
670621	Rubber and plastic
670622	Rubber and plastic
670624	Plastic
670625	Plastic
(Optional 5 Channel End Cap)	
670623	Rubber and plastic

- **DO NOT** use as work surfaces. **NO CUTTING, NO DRILLING, NO HAMMERING.**
- Use with momentary loads only. **DO NOT** place ladders, scaffolds or any type of structure on the protector.
- Avoid concentrated loads.
- Use only on a stable surface. Inclined surfaces, slippery surfaces and broken ground can cause injury.
- This protector can be a trip hazard to pedestrian traffic if they are unaware of its presence.
- Keep Cable Protector and End Cap clean.
- Keep various services, communications, fluids and power separated. Limit a channel to one service type.
- Always test a small amount for chemical compatibility before using and follow maintenance procedure.
- Vehicular traffic must pass over the protector slowly and with caution.

MAINTENANCE

- Store in a clean dry area.
- Inspect Cable Protector and End Cap for damage, and replace it if damaged.
- Remove any foreign materials, solids and liquids.
- Keep clean by using a detergent and water solution.